



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50806005-003



Aug 08, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
81.6%

Total THC/Container : 408 mg



Total CBD
0.125%

Total CBD/Container : 0.627 mg



Total Cannabinoids
87.0%

Total Cannabinoids/Container : 435 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	69.0	14.3	ND	0.143	0.389	0.606	1.76	0.181	0.241	ND	0.281
mg/unit	345	71.7	ND	0.715	1.95	3.03	8.81	0.905	1.21	ND	1.41
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1663, 585, 4571

Weight:
0.1081g

Extraction date:
08/06/25 10:29:24

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA089228POT
Instrument Used : DA-LC-003
Analized Date : 08/07/25 11:34:41

Batch Date : 08/06/25 08:54:44

Dilution : 400
Reagent : 072525.R02; 061825.15; 072525.R05
Consumables : 947.110; 04402004; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/08/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G DOJA: Gas Tree #29

DOJA: GAS TREE #29

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50806005-003

Harvest/Lot ID: 7781175054517850

Batch# : 7229825071202843

Sampled : 08/06/25

Ordered : 08/06/25

Sample Size Received : 31 units

Total Amount : 645 units

Completed : 08/08/25 Expires: 08/08/26

Sample Method : SOP.T.20.010

Page 2 of 6


Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	30.2	6.05	SABINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	7.64	1.53	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	5.02	1.00	VALENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	4.75	0.950	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	3.46	0.692	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	1.70	0.340	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.56	0.312	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.44	0.289	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.18	0.235	Analyzed by: 6444, 385, 4571				
BETA-PINENE	0.007	TESTED	1.18	0.235	Weight: 0.194g				
ALPHA-PINENE	0.007	TESTED	0.805	0.161	Extraction date: 08/06/25 11:32:05				
OCIMENE	0.007	TESTED	0.403	0.0805	Extracted by: 4444				
BORNEOL	0.013	TESTED	0.322	0.0644	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHERE	0.007	TESTED	0.221	0.0441	Analytical Batch : DA089233TER				
TRANS-NEROLIDOL	0.005	TESTED	0.185	0.0371	Instrument Used : DA-GCME-009				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.141	0.0281	Analyzed Date : 08/07/25 11:34:43				
FENCHONE	0.007	TESTED	0.125	0.0250	Dilution : 10				
ALPHA-TERPINOLENE	0.007	TESTED	0.108	0.0216	Reagent : 062725.52				
3-CARENE	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
CAMPHOR	0.007	TESTED	ND	ND	Pipette : DA-065				
CEDROL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
Total (%)				6.05					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/08/25



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA50806005-003

Harvest/Lot ID: 7781175054517850

Batch# : 7229825071202843

Sampled : 08/06/25

Ordered : 08/06/25

Sample Size Received : 31 units

Total Amount : 645 units

Completed : 08/08/25 Expires: 08/08/26

Sample Method : SOP.T.20.010


Page 3 of 6

 Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	ppm	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	ppm	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	ppm	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 4056, 585, 4571 Weight: 0.2795g Extraction date: 08/06/25 14:59:07 Extracted by: 4056,450,585					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA089249PES					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES) Batch Date : 08/06/25 10:31:54					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/07/25 11:44:26					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 080625.R05; 043025.28; 080525.R21; 080625.R08; 080325.R02; 070225.R43; 080625.R06					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-094; DA-208; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4571 Weight: 0.2795g Extraction date: 08/06/25 14:59:07 Extracted by: 4056,450,585					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA089251VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001 Batch Date : 08/06/25 10:35:33					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/07/25 11:39:46					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 080625.R05; 043025.28; 072125.R04; 072125.R05					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02; 17473601					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G DOJ: Gas Tree #29

DOJA: GAS TREE #29

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50806005-003

Harvest/Lot ID: 7781175054517850

Batch# : 7229825071202843

Sampled : 08/06/25

Ordered : 08/06/25

Sample Size Received : 31 units

Total Amount : 645 units

Completed : 08/08/25 Expires: 08/08/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
4451, 3379, 585, 4571

Weight:
0.0209g

Extraction date:
08/06/25 10:16:37

Extracted by:
4571,4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA089243SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 08/07/25 11:47:35

Batch Date : 08/06/25 10:03:39

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-416 (25uL Syringe - 44286); DA-418 (25uL Syringe - 44288)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/08/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G DOJA: Gas Tree #29

DOJA: GAS TREE #29

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50806005-003

Harvest/Lot ID: 7781175054517850

Batch# : 7229825071202843

Sampled : 08/06/25

Ordered : 08/06/25

Sample Size Received : 31 units

Total Amount : 645 units

Completed : 08/08/25 Expires: 08/08/26

Sample Method : SOP.T.20.010

Page 5 of 6

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						5008, 4520, 585, 4571		0.2795g		08/06/25 14:59:07	
										Extracted by:	
										4056,450,585	
Analyzed by: 5008, 4520, 585, 4571						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Weight: 1.108g						Analytical Batch : DA089250MYC					
Extraction date: 08/06/25 09:43:44						Instrument Used : DA-LCMS-004 (MYC)					
Extracted by: 4892						Batch Date : 08/06/25 10:35:22					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analyzed Date : 08/07/25 11:25:50					
Analytical Batch : DA089226MIC						Dilution : 250					
Instrument Used : DA-111 (PathogenDx Scanner), DA-010						Reagent : 080625.R05; 043025.28; 080525.R21; 080625.R08; 080325.R02; 070225.R43;					
Batch Date : 08/06/25						080625.R06					
(Thermocycler), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block) 08:46:57						Consumables : 927.100; 030125CH01; 6822423-02					
Analyzed Date : 08/07/25 12:11:04						Pipette : DA-094; DA-208; DA-219					
Dilution : 10						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reagent : 060925.36; 071525.215; 062125.R13; 072425.R11; 022825.03											
Consumables : 7585001040											
Pipette : N/A											
Analyzed by: 5008, 4571, 585						Heavy Metals PASSED					
Weight: 1.108g											
Extraction date: N/A											
Extracted by: 4892											
Analysis Method : SOP.T.40.209.FL											
Analytical Batch : DA089227TYM											
Instrument Used : DA-328 (25°C Incubator)											
Batch Date : 08/06/25 08:47:40											
Analyzed Date : 08/08/25 12:59:06											
Dilution : 10											
Reagent : 060925.36; 071525.215; 050725.R36; 072425.R12											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	<0.4	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	0.135	PASS	0.5
Analyzed by: 1022, 585, 4571	Weight: 0.2692g	Extraction date: 08/06/25 11:20:54	Extracted by: 1022,4531		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA089238HEA					
Instrument Used : DA-ICPMS-004			Batch Date : 08/06/25 09:59:20		
Analyzed Date : 08/07/25 10:51:42					
Dilution : 50					
Reagent : 071825.R05; 071525.R43; 080425.R14; 073125.R04; 080425.R12; 080425.R13; 080125.01; 080125.R10; 061323.01					
Consumables : 030125CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/08/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G DOJA: Gas Tree #29

DOJA: GAS TREE #29

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50806005-003

Harvest/Lot ID: 7781175054517850

Batch# : 7229825071202843

Sampled : 08/06/25

Ordered : 08/06/25

Sample Size Received : 31 units

Total Amount : 645 units

Completed : 08/08/25 Expires: 08/08/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4571	Weight: 1g	Extraction date: 08/06/25 12:24:10	Extracted by: 1879
----------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA089220FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 08/06/25 07:23:13

Analyzed Date : 08/06/25 13:02:07

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.56	PASS	0.85

Analyzed by: 4797, 585, 4571	Weight: 0.4303g	Extraction date: 08/06/25 10:45:34	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA089239WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 08/06/25 09:59:44

Analyzed Date : 08/07/25 11:20:17

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/08/25