

### 

710 Randy Watzon #3 + 710 Fire Water #106 Live Rosin 710 Randy Watzon #3 + 710 Fire Water #106

Matrix: Derivative



# **Certificate of Analysis**

COMPLIANCE FOR RETAIL

Sample: DA21223002-003 Harvest/Lot ID: 20221209-710X27-H

Batch#: 1000059498

**Cultivation Facility: Homestead Processing Facility: Homestead** Seed to Sale# LFG-00001026

Batch Date: 12/19/22

Sample Size Received: 16 gram

Total Amount: 431 units Retail Product Size: 1.0 gram

> Ordered: 12/22/22 Sampled: 12/22/22

Completed: 12/27/22

Sampling Method: SOP.T.20.010

### PASSED

Pages 1 of 6

Dec 27, 2022 | The Flowery Samples From: Homestead, FL, 33090, US

PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED** 



Microbials **PASSED** PASSED



PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

**TESTED** 

**PASSED** 



### Cannabinoid

**Total THC** 



**Total CBD** 



**Total Cannabinoids** 

		ı	ŀ								
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.61	81.332	0.062	0.253	0.062	0.494	3.413	0.053	ND	0.111	0.165
mg/unit	6.1	813.32	0.62	2.53	0.62	4.94	34.13	0.53	ND	1.11	1.65
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 585, 1440	), 53	/		Weight: 0.1111g		action date: 23/22 14:12:32				Extracted by: 1665	

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA053950POT Instrument Used: DA-LC-003 (Derivatives) Running on: 12/23/22 15:00:44

Dilution: 400
Reagent: 122122.R30; 070621.18; 120622.R25
Consumables: 239146; 280670723; CE123; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

Reviewed On: 12/26/22 11:29:46 Batch Date: 12/23/22 10:32:24

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



#### **Kaycha Labs**

710 Randy Watzon #3 + 710 Fire Water #106 Live Rosin 710 Randy Watzon #3 + 710 Fire Water #106 Matrix : Derivative



### PASSED

# **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21223002-003

Harvest/Lot ID: 20221209-710X27-H

Batch#: 1000059498 Sampled: 12/22/22 Ordered: 12/22/22

Sample Size Received: 16 gram

Total Amount: 431 units Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 2 of 6



#### **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/uni	it %	Result (%)	Terpenes		(%)	mg/un	it %	Result (%)	
OTAL TERPENES	0.007	53.28	5.328		CAMPHOR		0.013	ND	ND		
OTAL TERPINEOL	0.007	0.88	0.088		BORNEOL		0.013	< 0.4	< 0.04		
AMPHENE	0.007	0.36	0.036		GERANIOL		0.007	0.2	0.02		
ETA-MYRCENE	0.007	2.72	0.272		PULEGONE		0.007	ND	ND		
-CARENE	0.007	ND	ND		ALPHA-CEDRENE		0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULEN		0.007	4.67	0.467		
CIMENE	0.007	ND	ND		TRANS-NEROLIDO	. /	0.007	0.77	0.077		
UCALYPTOL	0.007	ND	ND		GUAIOL		0.007	ND	ND		
INALOOL	0.007	7.03	0.703		Analyzed by:	Weight:		Extraction of	late:		Extracted by:
ENCHONE	0.007	0.27	0.027		2076, 53, 1440	1.1111g		12/26/22 18			2076
OPULEGOL	0.007	< 0.2	< 0.02			P.T.30.061A.FL, SOP.T.40.06	1A.FL				
OBORNEOL	0.007	ND	ND		Analytical Batch : D					2/27/22 11:02:03	
EXAHYDROTHYMOL	0.007	ND	ND		Instrument Used : D Running on : 12/26/			Bat	cn pate: 12/	23/22 15:05:28	
EROL	0.007	ND	ND		Dilution: 10						
ERANYL ACETATE	0.007	ND	ND		Reagent: 120722.0						
ETA-CARYOPHYLLENE	0.007	16.26	1.626			14634; MKCN9995; CE0123; F	R1KB14270				
ALENCENE	0.007	ND	ND		Pipette : N/A						
S-NEROLIDOL	0.007	ND	ND		Terpenoid testing is pi	rformed utilizing Gas Chromatogr	aphy Mass Spec	trometry.			
DROL	0.007	ND	ND								
RYOPHYLLENE OXIDE	0.007	0.34	0.034								
RNESENE	0	1.37	0.137								
PHA-BISABOLOL	0.007	2.74	0.274								
PHA-PINENE	0.007	1.3	0.13								
ABINENE	0.007	ND	ND								
ETA-PINENE	0.007	1.87	0.187								
LPHA-TERPINENE	0.007	ND	ND								
IMONENE	0.007	11.43	1.143								
AMMA-TERPINENE	0.007	ND	ND								
	0.007	< 0.2	< 0.02								
ERPINOLENE		ND	ND								
	0.007										
ERPINOLENE SABINENE HYDRATE ENCHYL ALCOHOL	0.007 0.007	1.07	0.107								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



#### **Kaycha Labs**

710 Randy Watzon #3 + 710 Fire Water #106 Live Rosin 710 Randy Watzon #3 + 710 Fire Water #106 Matrix : Derivative



PASSED

# **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21223002-003

Harvest/Lot ID: 20221209-710X27-H

Batch#: 1000059498 Sampled: 12/22/22 Ordered: 12/22/22

Sample Size Received: 16 gram Total Amount: 431 units

Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

#### **PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	0.092	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	0.092	PHOSMET		0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND						PASS	
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN		0.01	ppm	0.1		ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND			0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIACLOPRID			171 I / N			
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) *	0.01	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
IAZINON	0.01	ppm	0.1	PASS	ND							
ICHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
IMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ction date		Extracted	by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	585, 795, 53, 1440	0.2899g		3/22 17:22:		3379,585	
TOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1	L01.FL (Gainesvil	le), SOP.1	.30.102.FL	(Davie), SOP	.T.40.101.FL (	Gainesville
TOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA053984F	DEC		Poviowos	On:12/26/2	2 12-41-26	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-(				te:12/23/22		
	0.01		0.1	PASS	ND	Running on : 12/23/22 23:03:			Dutti Du	12/25/22	14.17.43	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ENPYROXIMATE IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 121922.R01; 12192	22.R03; 120622.	R07; 122	122.R01; 09	92820.59		
			0.1	PASS	ND	Consumables: 6676024-02						
LONICAMID	0.01	ppm			ND	Pipette: DA-093; DA-094; DA						
LUDIOXONIL	0.01	ppm	0.1	PASS PASS	ND	Testing for agricultural agents i			Chromatog	graphy Triple-	Quadrupole Ma	SS
HEXYTHIAZOX	0.01	ppm	0.1			Spectrometry in accordance with			<b>\</b> ./		<b></b>	.\/
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440, 53	Weight: 0.2899a		ction date 3/22 17:22:		3379.585	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND							
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.1 Analytical Batch: DA053987				L (Davie), SO n :12/26/22 1		
IALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-				12/23/22 14:		
IETALAXYL	0.01	ppm	0.1	PASS	ND	Running on : N/A				,, 1	X /	
IETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
IETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 121922.R03; 09282	20.59					
IEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02	1					
NYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA						
IALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents i in accordance with F.S. Rule 64		ring Gas C	hromatogra	phy Triple-Qu	iadrupole Mass	Spectrom

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



Kaycha Labs

710 Randy Watzon #3 + 710 Fire Water #106 Live Rosin 710 Randy Watzon #3 + 710 Fire Water #106

Matrix : Derivative



# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

**DAVIE, FL, 33314, US** 

Sample : DA21223002-003

Harvest/Lot ID: 20221209-710X27-H

Batch#: 1000059498 Sampled: 12/22/22 Ordered: 12/22/22

Sample Size Received: 16 gram Total Amount: 431 units

Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 4 of 6



#### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440, 53	<b>Weight:</b> 0.0255g	Extraction date: 12/26/22 11:01:35			Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA054005SOL Instrument Used : DA-GCMS-003 Running on: 12/26/22 11:15:47

Dilution: 1 Reagent: N/A Consumables: N/A

Reviewed On: 12/26/22 11:40:19 Batch Date: 12/23/22 17:53:10

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



Kaycha Labs

710 Randy Watzon #3 + 710 Fire Water #106 Live Rosin 710 Randy Watzon #3 + 710 Fire Water #106

Matrix : Derivative



# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

**DAVIE, FL, 33314, US** 

Sample : DA21223002-003

Harvest/Lot ID: 20221209-710X27-H

Batch#: 1000059498 Sampled: 12/22/22 Ordered: 12/22/22

Reviewed On: 12/27/22 12:01:36 Batch Date: 12/23/22 11:44:28

Sample Size Received: 16 gram Total Amount: 431 units

Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 5 of 6



#### **Microbial**

#### **PASSED**



AFI

#### SED

Action Level

0.02

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
	<b>/eight:</b> .9343g	Extraction 12/23/22		Extracte 3621,33	

Analysis Method: SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA053952MIC
Instrument Used : PathogenDx Scanner DA-111

Running on: 12/23/22 18:55:17

Dilution: N/A

Reagent: 071122.R03; 110822.R31; 052422.10

Consumables : N/A

Pipette: N/A									
Analyzed by:	Weight:	Extraction date:	Extracted by:						
390, 3621, 585, 1440	0.9343a	12/23/22 14:38:03	3621 3390						

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Reviewed On: 12/26/22 13:26:27 Analytical Batch : DA053998TYM Instrument Used : Incubator (25-27C) DA-097 Batch Date: 12/23/22 14:38:40 Running on: 12/23/22 22:50:40

Dilution: N/A Reagent: 071122.R03 Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

$\mathcal{Y}_{\mathbf{o}}$	15		PAS			
alyte		LOD	Units	Result	Pass / Fail	
LATOXIN	B2	0.002	ppm	ND	PASS	
LATOXIN	B1	0.002	mag	ND	PASS	

Analyzed by: 585, 795, 53, 1440	<b>Weight:</b> 0.2899g	Extraction d 12/23/22 17			Extracted 3379,585		
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA053986MYC

Instrument Used : DA-LCMS-003 (MYC) Running on: 12/23/22 23:04:36

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

#### **PASSED**

Reviewed On: 12/26/22 12:42:56

Batch Date: 12/23/22 14:19:30

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINA	ANT LOAD META	ALS 0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	0.2
Analyzed by: 1879, 1440, 53	Extraction da			Extracted 1879	by:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA053964HEA Reviewed On: 12/26/22 12:32:47 Instrument Used: DA-ICPMS-003 Running on: 12/23/22 18:24:35 **Batch Date**: 12/23/22 13:10:23

Dilution: 50

Reagent: 112222.R82; 080222.R36; 121622.R05; 121322.R06; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



#### Kaycha Labs

710 Randy Watzon #3 + 710 Fire Water #106 Live Rosin 710 Randy Watzon #3 + 710 Fire Water #106 Matrix : Derivative

### **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21223002-003

Harvest/Lot ID: 20221209-710X27-H

Batch#: 1000059498 Sampled: 12/22/22 Ordered: 12/22/22

Sample Size Received: 16 gram Total Amount: 431 units

Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 6 of 6

PASSED



#### Filth/Foreign Material

### **PASSED**

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

**Extraction date:** Extracted by: NA

Analysis Method: SOP.T.40.090

Analytical Batch: DA054033FIL Instrument Used: Filth/Foreign Material Microscope

**Reviewed On:** 12/24/22 11:15:24 **Batch Date:** 12/24/22 11:08:06

Running on: 12/24/22 11:09:14

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



#### **Water Activity**

### **PASSED**

Reviewed On: 12/23/22 21:35:27 Batch Date: 12/23/22 13:49:06

Analyte		LOD	Units	Result	P/F	Action Leve	
Water Activity		0.1	aw	0.522	PASS	0.85	
Analyzed by: 2926, 53, 1440	Weight: 0.734g		Extraction date: 12/23/22 16:09:57		Extracted by: 2926		

Analysis Method : SOP.T.40.019
Analytical Batch : DA053972WAT

Instrument Used : DA-028 Rotronic Hygropalm

**Running on :**  $12/23/22 \ 16:08:14$ 

Dilution : N/A Reagent: 100522.08

Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22