




Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50813013-001



Aug 16, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
20.5%

Total THC/Container : 205 mg



Total CBD
0.0324%

Total CBD/Container : 0.324 mg



Total Cannabinoids
23.4%

Total Cannabinoids/Container : 234 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.29	21.8	ND	0.0370	0.0250	0.0450	0.110	ND	ND	ND	0.0160
mg/unit	12.9	218	ND	0.370	0.250	0.450	1.10	ND	ND	ND	0.160
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
4640, 1663, 585, 1440

Weight:
0.2036g

Extraction date:
08/14/25 12:02:28

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA089505POT
Instrument Used : DA-LC-001
Analized Date : 08/15/25 10:02:26

Batch Date : 08/14/25 09:01:00

Dilution : 400
Reagent : 081125.R01; 061825.03; 081125.R04
Consumables : 947.110; 04312111; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/16/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1
710 LEMON TART PUCKER #1
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50813013-001

Harvest/Lot ID: 8405748515867648

Batch# : 4589807321805207

Sampled : 08/13/25

Ordered : 08/13/25

Sample Size Received : 26 units

Total Amount : 397 units

Completed : 08/16/25 Expires: 08/16/26

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	17.3	1.73	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	6.13	0.613	ALPHA-PINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	3.50	0.350	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	1.94	0.194	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	1.80	0.180	BETA-PINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.46	0.146	CIS-NEROLIDOL	0.003	TESTED	ND	ND
LINALOOL	0.007	TESTED	1.20	0.120	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	0.484	0.0484	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	0.447	0.0447	Analyzed by: 4444, 4451, 585, 1440				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.366	0.0366	Weight: 1.0699g		Extraction date: 08/14/25 12:46:23		Extracted by: 4444
3-CARENE	0.007	TESTED	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	TESTED	ND	ND	Analytical Batch : DA0895397ER				
CAMPHERE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-009				
CAMPHOR	0.007	TESTED	ND	ND	Analyzed Date : 08/15/25 14:38:07				
CEDROL	0.007	TESTED	ND	ND	Dilution : 10				
EUCALYPTOL	0.007	TESTED	ND	ND	Reagent : 062725.52				
FARNESENE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
FENCHONE	0.007	TESTED	ND	ND	Pipette : DA-065				
GERANIOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
ALPHA-CEDRENE	0.005	TESTED	ND	ND					
Total (%)					1.73				


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/16/25



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA50813013-001

Harvest/Lot ID: 8405748515867648

Batch# : 4589807321805207

Sampled : 08/13/25

Ordered : 08/13/25

Sample Size Received : 26 units

Total Amount : 397 units

Completed : 08/16/25 Expires: 08/16/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	ppm	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	ppm	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	ppm	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 4056, 585, 1440 Weight: 1.0349g Extraction date: 08/14/25 11:21:35 Extracted by: 4056,450,585					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA089517PES					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES) Batch Date : 08/14/25 09:50:06					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/16/25 14:26:49					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 080625.R05; 043025.28; 081225.R26; 081225.R25; 081225.R24; 070225.R43; 081325.R03					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 947.110; 030125CH01; 6822423-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-094; DA-208; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 1.0349g Extraction date: 08/14/25 11:21:35 Extracted by: 4056,450,585					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA089519VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001 Batch Date : 08/14/25 09:54:27					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/15/25 10:02:51					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 080625.R05; 043025.28; 080725.R14; 080725.R15					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 947.110; 030125CH01; 6822423-02; 17473601					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1

710 LEMON TART PUCKER #1

Matrix : Flower

Type: Flower-Cured

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50813013-001

Harvest/Lot ID: 8405748515867648

Batch# : 4589807321805207

Sampled : 08/13/25

Ordered : 08/13/25

Sample Size Received : 26 units

Total Amount : 397 units

Completed : 08/16/25 Expires: 08/16/26

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	120	PASS	100000	Analyzed by: 4056, 585, 1440	Weight: 1.0349g	Extraction date: 08/14/25 11:21:35	Extracted by: 4056,450,585		
Analyzed by: 4520, 585, 1440	Weight: 0.935g	Extraction date: 08/14/25 10:08:04	Extracted by: 4520,3621			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA089521MYC Instrument Used : DA-LCMS-004 (MYC) Batch Date : 08/14/25 09:54:55 Analyzed Date : 08/16/25 14:23:02					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA089494MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-171 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:12:11 Analyzed Date : 08/15/25 11:37:36						Dilution : 250 Reagent : 080625.R05; 043025.28; 081225.R26; 081225.R25; 081225.R24; 070225.R43; 081325.R03 Consumables : 947.110; 030125CH01; 6822423-02 Pipette : DA-094; DA-208; DA-219					
Dilution : 10 Reagent : 060925.10; 071525.219; 072425.R11; 022825.03 Consumables : 7585001042 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 4520, 4531, 585, 1440						Analyzed by: 4520, 4531, 585, 1440					
Weight: 0.935g						Weight: 0.935g					
Extraction date: 08/14/25 10:08:04						Extraction date: 08/14/25 10:08:04					
Extracted by: 4520,3621						Extracted by: 4520,3621					
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA089495TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 08/16/25 14:41:19						Analysis Method : SOP.T.40.209.FL Analytical Batch : DA089495TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 08/16/25 14:41:19					
Dilution : 10 Reagent : 060925.10; 071525.219; 072425.R12 Consumables : N/A Pipette : N/A						Dilution : 10 Reagent : 060925.10; 071525.219; 072425.R12 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyzed by:	Weight:	Extraction date:	Extracted by:
1022, 585, 1440	0.2336g	08/14/25 10:46:22	1022,4531
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			
Analytical Batch : DA089513HEA			
Instrument Used : DA-ICPMS-004			
Batch Date : 08/14/25 09:43:48			
Analyzed Date : 08/15/25 11:41:58			
Dilution : 50			
Reagent : 081325.R05; 071525.R43; 081125.R12; 081325.R06; 081125.R10; 081125.R11; 080625.01; 080125.R10; 061323.01			
Consumables : 030125CH01; J609879-0193; 179436			
Pipette : DA-061; DA-191; DA-216			

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
08/16/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1

710 LEMON TART PUCKER #1

Matrix : Flower

Type: Flower-Cured

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50813013-001

Harvest/Lot ID: 8405748515867648

Batch# : 4589807321805207

Sampled : 08/13/25

Ordered : 08/13/25

Sample Size Received : 26 units

Total Amount : 397 units

Completed : 08/16/25 Expires: 08/16/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material		0.1	%	ND	PASS	1	Moisture Content		1	%	11.9	PASS	15
Analyzed by: 1879, 1440	Weight: 1g	Extraction date: 08/14/25 16:03:18			Extracted by: 1879		Analyzed by: 4797, 585, 1440	Weight: 0.495g	Extraction date: 08/14/25 12:02:26			Extracted by: 4797	
Analysis Method : SOP.T.40.090 Analytical Batch : DA089554FIL Instrument Used : Filtration/Foreign Material Microscope Analyzed Date : 08/14/25 16:17:12							Analysis Method : SOP.T.40.021 Analytical Batch : DA089498MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 08/15/25 09:42:23						
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 080125.01 Consumables : N/A Pipette : DA-066						

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.50	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.349g	Extraction date: 08/14/25 11:17:08	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA089499WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 08/14/25 08:10:16		
Analyzed Date : 08/15/25 09:44:31					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/16/25