

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50815013-002



Aug 19, 2025 | The Flowery

 Samples From:
 Homestead, FL, 33090, US

THE FLOWERY
PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filth
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
76.8%

Total THC/Container : 768 mg


Total CBD
0.115%

Total CBD/Container : 1.15 mg


Total Cannabinoids
94.2%

Total Cannabinoids/Container : 942 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	5.34	81.4	ND	0.131	0.0500	0.374	6.64	ND	ND	ND	0.215
mg/unit	53.4	814	ND	1.31	0.500	3.74	66.4	ND	ND	ND	2.15
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 4640, 3335, 585, 1440

 Weight:
 0.1069g

 Extraction date:
 08/18/25 10:01:05

 Extracted by:
 3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA089649POT

Instrument Used : DA-LC-003

Analyzed Date : 08/19/25 10:19:01

Batch Date : 08/18/25 07:11:05

Dilution : 400

Reagent : 081125.R02; 061825.15; 081125.R05

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164

 Signature
 08/19/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Guava

710 LABS GUAVA

Matrix : Derivative

Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50815013-002

Harvest/Lot ID: 9245721037775241

Batch# : 2630159827188463

Sampled : 08/15/25

Ordered : 08/15/25

Sample Size Received : 16 units

Total Amount : 364 units

Completed : 08/19/25 Expires: 08/19/26

Sample Method : SOP.T.20.010

Page 2 of 6

<


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/19/25



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA50815013-002

Harvest/Lot ID: 924572103775241

Batch# : 2630159827188463

Sampled : 08/15/25

Ordered : 08/15/25

Sample Size Received : 16 units


Total Amount : 364 units

Completed : 08/19/25 Expires: 08/19/26

Sample Method : SOP.T.20.010

Page 3 of 6

 Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	ppm	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	ppm	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	ppm	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	4056, 3379, 1440	0.2262g	08/18/25 10:22:30	4056,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA089627PES					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Batch Date : 08/16/25 15:23:10					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/19/25 11:25:05					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 081225.R26; 080625.R05; 081625.R01; 081225.R24; 070225.R43; 081325.R03; 043025.28					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 947.110; 071824CH01; 6822423-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 3379, 1440	0.2262g	08/18/25 10:22:30	4056,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA089628VOL					
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001					
METALAXYL	0.01	ppm	0.1	PASS	ND	Batch Date : 08/16/25 15:27:14					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/19/25 11:12:36					
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent : 080625.R05; 043025.28; 080725.R14; 080725.R15					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables : 947.110; 030125CH01; 6822423-02; 17473601					
NALED	0.01	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					
	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA50815013-002

Harvest/Lot ID: 924572103775241

Batch# : 2630159827188463

Sampled : 08/15/25

Ordered : 08/15/25

Sample Size Received : 16 units

Total Amount : 364 units

Completed : 08/19/25 Expires: 08/19/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 4571, 4451, 585, 1440

 Weight:
 0.0214g

 Extraction date:
 08/16/25 14:27:51

 Extracted by:
 4571,4451

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA089623SOL
 Instrument Used : DA-GCMS-012
 Analyzed Date : 08/18/25 13:55:24

Batch Date : 08/16/25 14:20:36

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 315545
 Pipette : DA-416 (25uL Syringe - 44286); DA-418 (25uL Syringe - 44288)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Guava

710 LABS GUAVA

Matrix : Derivative

Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50815013-002

Harvest/Lot ID: 9245721037775241

Batch# : 2630159827188463

Sampled : 08/15/25

Ordered : 08/15/25

Sample Size Received : 16 units

Total Amount : 364 units

Completed : 08/19/25 Expires: 08/19/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA089601MIC					
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:26:25					Batch Date : 08/16/25
Analysis Date : 08/18/25 11:54:40					
Dilution : 10					
Reagent : 071525.207; 071525.208; 072425.R11; 012125.20					
Consumables : 7584001062					
Pipette : N/A					
Analysis Method : SOP.T.40.209.FL					
Analytical Batch : DA089602TYM					
Instrument Used : DA-328 (25°C Incubator)					Batch Date : 08/16/25 07:26:36
Analysis Date : 08/18/25 13:53:24					
Dilution : 10					
Reagent : 071525.207; 071525.208; 072425.R12					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analytical Batch : DA089629MYC					
Instrument Used : DA-LCMS-004 (MYC)					Batch Date : 08/16/25 15:27:27
Analysis Date : 08/18/25 11:30:59					
Dilution : 250					
Reagent : 081225.R26; 080625.R05; 081625.R01; 081225.R24; 070225.R43; 081325.R03; 043025.28					
Consumables : 947.110; 030125CH01; 6822423-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA089610HEA					
Instrument Used : DA-ICPMS-004					Batch Date : 08/16/25 10:42:05
Analysis Date : 08/19/25 10:11:04					
Dilution : 50					
Reagent : 081325.R05; 081125.R12; 081325.R06; 081125.R10; 081125.R11; 080625.01; 080125.R10; 061323.01; 080125.R09					
Consumables : 030125CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
08/19/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Guava
710 LABS GUAVA
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50815013-002

Harvest/Lot ID: 9245721037775241

Batch# : 2630159827188463

Sampled : 08/15/25

Ordered : 08/15/25

Sample Size Received : 16 units

Total Amount : 364 units

Completed : 08/19/25 Expires: 08/19/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: 1g	Extraction date: 08/17/25 08:29:06	Extracted by: 1879
----------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA089581FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/17/25 08:42:12

Batch Date : 08/15/25 10:02:41

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.54	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 1.471g	Extraction date: 08/16/25 14:32:20	Extracted by: 4797,1879
---------------------------------	-------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA089617WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 08/18/25 11:28:29

Batch Date : 08/16/25 12:40:29

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/19/25