



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50829003-002



Sep 03, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
29.7%

Total THC/Container : 2080 mg



Total CBD
0.0631%

Total CBD/Container : 4.42 mg



Total Cannabinoids
34.9%

Total Cannabinoids/Container : 2440 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.427	33.4	ND	0.0720	0.0390	0.108	0.692	ND	ND	ND	0.0950
mg/unit	29.9	2340	ND	5.04	2.73	7.56	48.4	ND	ND	ND	6.65
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:
3621, 1665, 585, 4571

Weight:
0.2003g

Extraction date:
09/02/25 08:51:20

Extracted by:
4640,3621

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : N/A

Batch Date : N/A

Dilution : 400

Reagent : 082625.R04; 061825.15; 082625.R01

Consumables : 947.110; 04312111; 031425CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FLOWER JUNIORS 7G Petrol Station
PETROL STATION
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50829003-002
Harvest/Lot ID: 5908600453031610

Batch# : 4566026066388043 Sample Size Received : 5 units
Sampled : 08/29/25 Total Amount : 352 units
Ordered : 08/29/25 Completed : 09/03/25 Expires: 09/03/26
Sample Method : SOP.T.20.010

Page 2 of 5

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/03/25



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

 Sample : DA50829003-002
 Harvest/Lot ID: 5908600453031610

 Batch# : 4566026066388043 Sample Size Received : 5 units
 Sampled : 08/29/25 Total Amount : 352 units
 Ordered : 08/29/25 Completed : 09/03/25 Expires: 09/03/26
 Sample Method : SOP.T.20.010

Page 3 of 5

 Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	ppm	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	ppm	0.1	PASS	ND
CLOFENTHINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	ppm	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	ppm	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4571 Weight: 0.8201g Extraction date: 09/01/25 14:07:40 Extracted by: 4571,3621					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :N/A					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used :N/A Batch Date :N/A					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date :N/A					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 082725.R28; 082825.R03; 082825.R15; 082725.R27; 070225.R43; 082725.R03; 043025.28					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 947.110; 030125CH01; 6822423-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4571 Weight: 0.8201g Extraction date: 09/01/25 14:07:40 Extracted by: 4571,3621					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA090139VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-011 Batch Date :08/30/25 11:42:41					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed Date :09/03/25 11:12:55					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 082825.R03; 043025.28; 082025.R16; 082025.R17					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 947.110; 030125CH01; 6822423-02; 17473601					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

 Sample : DA50829003-002
 Harvest/Lot ID: 5908600453031610

 Batch# : 4566026066388043 Sample Size Received : 5 units
 Sampled : 08/29/25 Total Amount : 352 units
 Ordered : 08/29/25 Completed : 09/03/25 Expires: 09/03/26
 Sample Method : SOP.T.20.010

Page 4 of 5

Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4571	Weight: 0.8201g	Extraction date: 09/01/25 14:07:40	Extracted by: 4571,3621		
Analyzed by: 3621, 4520, 585, 4571	Weight: 1.1691g	Extraction date: 08/30/25 10:32:44	Extracted by: 4892,3621			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : N/A					
Analytical Batch : N/A						Instrument Used : N/A					
Instrument Used : N/A						Batch Date : N/A					
Analyzed Date : N/A						Dilution : 250					
Dilution : 10						Reagent : 082725.R28; 082825.R03; 082825.R15; 082725.R27; 070225.R43; 082725.R03; 043025.28					
Reagent : 071525.210; 071825.09; 082725.R39; 080724.13						Consumables : 947.110; 030125CH01; 6822423-02					
Consumables : 7582004053						Pipette : DA-093; DA-094; DA-219					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 4571, 585	Weight: 1.1691g	Extraction date: 08/30/25 10:32:44	Extracted by: 4892,3621			 Heavy Metals PASSED					
Analysis Method : SOP.T.40.209.FL						Metal					
Analytical Batch : DA090114TYM						TOTAL CONTAMINANT LOAD METALS					
Instrument Used : DA-328 (25°C Incubator)						ARSENIC					
Analyzed Date : 09/02/25 10:32:12						CADMIUM					
Dilution : 10						MERCURY					
Reagent : 071525.210; 071825.09; 072425.R12						LEAD					
Consumables : N/A						Analyzed by:					
Pipette : N/A						4531, 585, 4571					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Weight:					
						0.2055g					
						Extraction date:					
						08/30/25 10:11:48					
						Extracted by:					
						4531,1879,4797					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
						Analytical Batch : N/A					
						Instrument Used : N/A					
						Batch Date : N/A					
						Dilution : 50					
						Reagent : 081325.R05; 082125.R07; 082625.R12; 082225.R18; 082625.R10; 082625.R11; 080125.01; 082125.R06					
						Consumables : J609879-0193; 179436; 030125CH01					
						Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FLOWER JUNIORS 7G Petrol Station
PETROL STATION
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50829003-002
Harvest/Lot ID: 5908600453031610

Batch# : 4566026066388043 Sample Size Received : 5 units
Sampled : 08/29/25 Total Amount : 352 units
Ordered : 08/29/25 Completed : 09/03/25 Expires: 09/03/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.6	PASS	15
Analyzed by: 1879, 4571	Weight: 1g	Extraction date: 08/31/25 07:44:10	Extracted by: 1879			Analyzed by: 4797, 585, 4571	Weight: 0.513g	Extraction date: 08/30/25 12:52:06	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : N/A Instrument Used : N/A Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA090117MOI Instrument Used : DA-385 Moisture Analyzer Analyzed Date : 09/02/25 10:19:34					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 080125.01 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.58	PASS	0.65
Analyzed by: 4797, 585, 4571	Weight: 1.635g	Extraction date: 08/30/25 13:04:45	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : N/A Instrument Used : N/A Analyzed Date : N/A					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/03/25