

## **Certificate of Analysis**

COMPLIANCE FOR RETAIL

**Kaycha Labs** 

710 Labs Smarties Persy Rosin 710 Labs Smarties Matrix: Derivative



Sample: DA21206005-007 Harvest/Lot ID: 20221118-710SMRT-F7H4

Batch#: 1000056352

**Cultivation Facility: Homestead Processing Facility: Homestead** Seed to Sale# LFG-00000967

Batch Date: 12/05/22

Sample Size Received: 16 gram Total Amount: 250 units

> Retail Product Size: 1.0 gram Ordered: 12/06/22

Sampled: 12/06/22 Completed: 12/09/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Dec 09, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

**#FLOWERY** 

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



PASSED



Heavy Metals **PASSED** 



Microbials PASSED PASSED



Residuals Solvents PASSED



Filth PASSED



Water Activity PASSED



Moisture



MISC.

**TESTED** 

**PASSED** 



### Cannabinoid

**Total THC** 




**Total CBD** 0.185% Total CBD/Container: 1.85 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 892.83



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA053256POT Instrument Used: DA-LC-003 (Derivatives) Running on: 12/07/22 10:20:48

Dilution: 400
Reagent: 120622.R27; 071222.01; 120622.R25
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

Reviewed On: 12/08/22 14:37:42 Batch Date: 12/07/22 09:13:25

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/09/22



### **Kaycha Labs**

710 Labs Smarties Persy Rosin 710 Labs Smarties Matrix : Derivative



# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21206005-007 Harvest/Lot ID: 20221118-710SMRT-F7H4

Batch#: 1000056352 Sampled: 12/06/22 Ordered: 12/06/22

Sample Size Received: 16 gram Total Amount: 250 units

Completed: 12/09/22 Expires: 12/09/23 Sample Method: SOP.T.20.010

Page 2 of 6



### **Terpenes**

**TESTED** 

LOD mg/unit % Result (%) (%)
0.007 ND ND
0.013 < 0.4 < 0.04
0.007 0.21 0.021
0.007 ND ND
0.007 ND ND
0.007 3.54 0.354
0.007 ND ND
0.007 ND ND
Weight: Extraction date: Extracted
1.1189g 12/08/22 17:08:08 2076
T.30.061A.FL, SOP.T.40.061A.FL
53257TER Reviewed On: 12/09/22 17:44:13
GCMS-005 Batch Date: 12/07/22 09:21:32 17:01:17
634; MKCN9995; CE0123; R1KB14270
rmed utilizing Gas Chromatography Mass Spectrometry.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/09/22



### **Kaycha Labs**

710 Labs Smarties Persy Rosin 710 Labs Smarties

Matrix : Derivative

# **Certificate of Analysis**

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21206005-007

Harvest/Lot ID: 20221118-710SMRT-F7H4

Batch#: 1000056352 Sampled: 12/06/22 Ordered: 12/06/22

Sample Size Received: 16 gram Total Amount: 250 units

Completed: 12/09/22 Expires: 12/09/23 Sample Method: SOP.T.20.010

Page 3 of 6



### **Pesticides**

### **PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND		0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM					
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
ICHLORVOS	0.01	ppm	0.1	PASS	ND				/		
IMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 585, 3379, 1440 0.2829g		ction date:		585	ed by:
ГНОРКОРНОЅ	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaines		/22 14:18:0			Cainaguill
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	ville), SUP.	.30.102.FL	(Davie), SUP	.1.40.101.FL (	Gairiesviii
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053260PES		Reviewed	On:12/08/2	2 15:37:17	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			te:12/07/22		
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :12/07/22 14:20:37					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250					
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 120522.R01; 111622.R42; 1206	22.R07; 120	722.R01; 0	92820.59		
LONICAMID	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02 Pipette: DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND			l Ch	one or here. The last	0	
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u Spectrometry in accordance with F.S. Rule 64		a Chromato	угарпу гпріе-	Quadrupoié Ma	155
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		ction date:		Extracte	d by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	<b>3379, 585, 1440</b> 0.2829q		/22 14:18:0		585	by.
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaines				P.T.40.151.FL	
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA053262VOL	R	eviewed O	n:12/08/22 1	L4:29:38	
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001	В	atch Date	12/07/22 09	:46:05	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Running on :12/07/22 14:27:24					
ETHOCARD	0.01	ppm	0.1	PASS	ND	Dilution: 250	DC7 1000	22 224			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 111622.R42; 092820.59; 120122	2.K67; 1206	22.R24			
	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02; 14725401 Pipette: DA-093; DA-094; DA-219					
YYCLOBUTANIL			0.1	PASS	ND	Testing for agricultural agents is performed u	tilizing Cas C	hromatoss	nhy Triple O	adrupolo Mass	Cnoctros
NALED	0.01	ppm	0.25	PASS	ND	in accordance with F.S. Rule 64ER20-39.	unzing GdS C	an omatogra	aprily Triple-QU	iaui upole Mass	spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/09/22



Kaycha Labs

710 Labs Smarties Persy Rosin 710 Labs Smarties Matrix : Derivative



**DAVIE, FL, 33314, US** 

# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21206005-007

Harvest/Lot ID: 20221118-710SMRT-F7H4

Batch#: 1000056352 Sampled: 12/06/22 Ordered: 12/06/22

Sample Size Received: 16 gram Total Amount: 250 units

Completed: 12/09/22 Expires: 12/09/23 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

P	A	S	S	E	D	

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	<b>Weight:</b> 0.0233g	Extraction date: 12/08/22 11:15		// // )	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA053303SOL Instrument Used : DA-GCMS-002 Running on: 12/08/22 11:22:52

Reviewed On: 12/08/22 14:37:46 Batch Date: 12/07/22 15:03:01

Dilution: 1

Reagent: 071420.56 Consumables: R2017.167; KF140 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/09/22



#### Kaycha Labs

710 Labs Smarties Persy Rosin 710 Labs Smarties

Matrix : Derivative



### **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21206005-007

Harvest/Lot ID: 20221118-710SMRT-F7H4

Batch#: 1000056352 Sampled: 12/06/22 Ordered: 12/06/22

Sample Size Received: 16 gram Total Amount: 250 units

Completed: 12/09/22 Expires: 12/09/23 Sample Method: SOP.T.20.010

Page 5 of 6

PASS



### Microbial

### **PASSED**



**AFLATOXIN G2** 

### **Mvcotoxins**

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by:	Weight:		ion date:	Extracte	

Analysis Method: SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053247MIC
Instrument Used : DA-265 Gene-UP RTPCR Reviewed On: 12/09/22 09:14:53 Batch Date: 12/07/22 08:22:07

Running on: 12/07/22 17:24:50

Dilution: N/A

Pipette: N/A

Reagent: 091422.04; 062422.02 Consumables: 500124

Analyzed by:	Weight:	Extraction date:	Extracted by
3390, 585, 1440	0.8299a	12/07/22 14:09:32	3621.3702.

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA053299TYM Instrument Used : Incubator (25-27C) DA-097 Reviewed On: 12/09/22 15:39:07 Batch Date: 12/07/22 14:02:53 Running on: 12/07/22 18:00:03

Dilution: N/A Reagent: 091422.13 Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

200	,, ,				7	33
Analyte		LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02

0.002

ppm

Analyzed by: 585, 3379, 1440 Weight: Extraction date: Extracted by: 12/07/22 14:18:06 0.2829q Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Reviewed On: 12/08/22 15:25:52 Analytical Batch: DA053261MYC Instrument Used : DA-LCMS-003 (MYC) **Batch Date :** 12/07/22 09:46:03 Running on: 12/07/22 14:20:43

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

### **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT L	OAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	< 0.1	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	0.2
Analyzed by:	Weight:	Extractio	n date:		Extracted	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA053270HEA Instrument Used: DA-ICPMS-003 Running on: 12/07/22 15:23:36 Reviewed On: 12/08/22 15:02:55 **Batch Date:** 12/07/22 09:53:30

Dilution: 50

Reagent: 112222.R82; 080222.R36; 120222.R33; 112322.R63; 120222.R31; 120222.R32; 112122.R11; 111522.R25; 100622.35

Consumables: 179436; 210508058; 210803-059 Pipette: DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/09/22



### Kaycha Labs

710 Labs Smarties Persy Rosin 710 Labs Smarties Matrix : Derivative



PASSED

Page 6 of 6

### **Certificate of Analysis**

The Flowery

Samples From:

Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21206005-007

Harvest/Lot ID: 20221118-710SMRT-F7H4

Batch#: 1000056352 Sampled: 12/06/22 Ordered: 12/06/22

Reviewed On: 12/07/22 18:36:42 Batch Date: 12/07/22 18:13:31

Reviewed On: 12/07/22 18:44:39 Batch Date: 12/07/22 10:39:21

Sample Size Received: 16 gram Total Amount: 250 units Completed: 12/09/22 Expires: 12/09/23 Sample Method: SOP.T.20.010



### Filth/Foreign Material

### **PASSED**

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

**Extraction date:** Extracted by: NA N/A

Analysis Method: SOP.T.40.090

Analytical Batch: DA053307FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 12/07/22 18:25:36

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

### **PASSED**

Analyte Water Activity	L()	<b>D</b>	<b>Units</b> aw	Result 0.571	P/F PASS	Action Leve 0.85
Analyzed by: 3807, 1879, 1440	Weight: 1.608g	Extraction date: 12/07/22 13:21:37				ctracted by: 307

Analysis Method : SOP.T.40.019
Analytical Batch : DA053276WAT

Instrument Used : DA-028 Rotronic Hygropalm

**Running on :** 12/07/22 13:26:56

Dilution : N/A Reagent: 121421.21 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/09/22