



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50903016-003



Sep 06, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
77.2%

Total THC/Container : 386 mg



Total CBD
0.121%

Total CBD/Container : 0.605 mg



Total Cannabinoids
81.3%

Total Cannabinoids/Container : 406 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	68.4	9.98	0.121	ND	ND	1.07	0.820	0.0400	0.255	ND	0.579
mg/unit	342	49.9	0.605	ND	ND	5.35	4.10	0.200	1.28	ND	2.90
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3621, 3335, 585, 1440

Weight:
0.1102g

Extraction date:
09/04/25 11:57:26

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA090239POT
Instrument Used : DA-LC-003
Analized Date : 09/05/25 09:42:37

Batch Date : 09/04/25 10:11:58

Dilution : 400
Reagent : 090325.R09; 061825.03; 090325.R06
Consumables : 947.110; 04402004; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 POD - PERSY ROSIN 710 Labs Sour Taffy #34

710 LABS SOUR TAFFY #34

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50903016-003

Harvest/Lot ID: 8348411105862905

Batch# : 8740528201225231

Sampled : 09/03/25

Ordered : 09/03/25

Sample Size Received : 31 units

Total Amount : 281 units

Completed : 09/06/25 Expires: 09/06/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	41.2	8.23	PULEGONE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	11.4	2.28	SABINENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	6.72	1.34	SABINENE HYDRATE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	3.46	0.692	VALENCENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.88	0.576	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	2.70	0.541	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
GUAIOL	0.007	TESTED	1.77	0.353	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.75	0.350	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.64	0.327					
ALPHA-BISABOLOL	0.007	TESTED	1.62	0.324	Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	TESTED	1.48	0.296	6846, 4451, 585, 1440	0.1913g	09/04/25 11:56:08	4444	
OCIMENE	0.007	TESTED	0.681	0.136	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BETA-MYRCENE	0.007	TESTED	0.593	0.119	Analytical Batch :	DA090249TER			
CAMPHERE	0.007	TESTED	0.547	0.109	Instrument Used :	DA-GC/MS-008			
BORNEOL	0.013	TESTED	0.490	0.0981	Analyzed Date :	09/06/25 13:33:37			Batch Date : 09/04/25 10:37:12
TRANS-NEROLIDOL	0.005	TESTED	0.320	0.0640	Dilution :	10			
GERANIOL	0.007	TESTED	0.268	0.0536	Reagent :	062725.52			
ALPHA-TERPINOLENE	0.007	TESTED	0.261	0.0522	Consumables :	947.110; 04312111; 2240626; 0000355309			
FENCHONE	0.007	TESTED	0.251	0.0502	Pipette :	DA-065			
CARYOPHYLLENE OXIDE	0.007	TESTED	0.222	0.0445	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-TERPINENE	0.007	TESTED	0.117	0.0233					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
Total (%)				8.24					


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/06/25



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA50903016-003

Harvest/Lot ID: 8348411105862905

Batch# : 8740528201225231

Sampled : 09/03/25

Ordered : 09/03/25

Sample Size Received : 31 units

Total Amount : 281 units

Completed : 09/06/25 Expires: 09/06/26

Sample Method : SOP.T.20.010


Page 3 of 6

 Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	ppm	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	ppm	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	ppm	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.273g	09/04/25 14:40:35	1022,4640,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA090236PES					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 09/05/25 10:19:18					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 090225.R12; 043025.28; 090425.R03; 090425.R29; 090425.R30; 070225.R43; 090425.R01					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 927.100; 030125CH01; 6698360-03					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.273g	09/04/25 14:40:35	1022,4640,3379		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA090238VOL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011					
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 09/05/25 09:41:40					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 090225.R12; 043025.28; 082025.R16; 082025.R17					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 927.100; 030125CH01; 6698360-03; 17473601					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 POD - PERSY ROSIN 710 Labs Sour Taffy #34

710 LABS SOUR TAFFY #34

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50903016-003

Harvest/Lot ID: 8348411105862905

Batch# : 8740528201225231

Sampled : 09/03/25

Ordered : 09/03/25

Sample Size Received : 31 units

Total Amount : 281 units

Completed : 09/06/25 Expires: 09/06/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.023g

Extraction date:
09/04/25 12:09:49

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA09025850L
Instrument Used : DA-GCMS-003
Analyzed Date : 09/05/25 11:41:00

Batch Date : 09/04/25 11:56:34

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-416 (25uL Syringe - 44286); DA-418 (25uL Syringe - 44288)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 POD - PERSY ROSIN 710 Labs Sour Taffy #34
710 LABS SOUR TAFFY #34
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50903016-003
Harvest/Lot ID: 8348411105862905
Batch# : 8740528201225231 Sample Size Received : 31 units
Sampled : 09/03/25 Total Amount : 281 units
Ordered : 09/03/25 Completed : 09/06/25 Expires: 09/06/26
Sample Method : SOP.T.20.010

Page 5 of 6

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 3379, 585, 1440 Weight: 0.273g Extraction date: 09/04/25 14:40:35 Extracted by: 1022,4640,3379					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA090237MYC Instrument Used : DA-LCMS-004 (MYC) Batch Date : 09/04/25 10:04:36 Analyzed Date : 09/05/25 10:18:42					
Analyzed by: 4520, 4892, 585, 1440 Weight: 1.1928g Extraction date: 09/04/25 09:09:39 Extracted by: 4520						Dilution : 250 Reagent : 090225.R12; 043025.28; 090425.R03; 090425.R29; 090425.R30; 070225.R43; 090425.R01 Consumables : 927.100; 030125CH01; 6698360-03 Pipette : DA-093; DA-094; DA-219					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA090220MIC Instrument Used : DA-111 (PathogenDx Scanner), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block) Batch Date : 09/04/25 08:57:50 Analyzed Date : 09/05/25 11:40:37						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : 10 Reagent : 071825.03; 071825.07; 082725.R39; 080724.13 Consumables : 7582004045 Pipette : N/A						Heavy Metals PASSED					
Analyzed by: 4520, 4892, 585, 1440 Weight: 1.1928g Extraction date: 09/04/25 09:09:39 Extracted by: 4520						Metal LOD Units Result Pass / Fail Action Level					
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA090221TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 09/04/25 08:58:37 Analyzed Date : 09/06/25 12:52:17						TOTAL CONTAMINANT LOAD METALS 0.08 ppm ND PASS 1.1					
Dilution : 10 Reagent : 071825.03; 071825.07; 072425.R12 Consumables : N/A Pipette : N/A						ARSENIC 0.02 ppm ND PASS 0.2					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						CADMIUM 0.02 ppm ND PASS 0.2					
						MERCURY 0.02 ppm ND PASS 0.2					
						LEAD 0.02 ppm ND PASS 0.5					
						Analyzed by: 1022, 585, 1440 Weight: 0.2591g Extraction date: 09/04/25 11:59:03 Extracted by: 4531					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA090226HEA Instrument Used : DA-ICPMS-004 Batch Date : 09/04/25 09:28:04 Analyzed Date : 09/05/25 10:21:06					
						Dilution : 50 Reagent : 081325.R05; 082125.R07; 090225.R16; 090325.R26; 090225.R18; 090225.R17; 080625.01; 090425.R33; 061323.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 POD - PERSY ROSIN 710 Labs Sour Taffy #34

710 LABS SOUR TAFFY #34

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50903016-003

Harvest/Lot ID: 8348411105862905

Batch# : 8740528201225231

Sampled : 09/03/25

Ordered : 09/03/25

Sample Size Received : 31 units

Total Amount : 281 units

Completed : 09/06/25 Expires: 09/06/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: 1g	Extraction date: 09/04/25 12:02:23	Extracted by: 585
---------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA090256FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/04/25 12:10:36

Batch Date : 09/04/25 11:51:05

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.55	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.2755g	Extraction date: 09/04/25 13:18:19	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA090230WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 09/04/25 14:15:13

Batch Date : 09/04/25 09:38:17

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/06/25