

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

710 Labs The Chauffeur #1 Persy Rosin 710 Labs The Chauffeur #1



Matrix: Derivative

Sample: DA21223002-008 Harvest/Lot ID: 20220909-710TC1-F5H3

Batch#: 1000059493

Cultivation Facility: Homestead Processing Facility: Homestead Seed to Sale# LFG-00001021

Batch Date: 12/19/22

Sample Size Received: 16 gram Total Amount: 364 units

> Retail Product Size: 1.0 gram Ordered: 12/22/22

Sampled: 12/22/22 Completed: 12/27/22

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Certificate of Analysis

COMPLIANCE FOR RETAIL

Dec 27, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



PASSED



Residuals Solvents PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

TESTED

PASSED



Cannabinoid

Total THC



Total CBD



Total Cannabinoids

		ш	ŀ								
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	0.552	88.878	0.068	0.217	0.031	0.325	3.476	< 0.02	ND	ND	0.157
mg/unit	5.52	888.78	0.68	2.17	0.31	3.25	34.76	< 0.2	ND	ND	1.57
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 585, 53, 1	1440			Weight: 0.1129a		Extraction date: 12/23/22 14:12:55				Extracted by:	

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA053950POT Instrument Used: DA-LC-003 (Derivatives) Running on: 12/23/22 15:00:44

Dilution: 400
Reagent: 122122.R30; 070621.18; 120622.R25
Consumables: 239146; 280670723; CE123; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

Reviewed On: 12/27/22 11:22:33 Batch Date: 12/23/22 10:32:24

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

710 Labs The Chauffeur #1 Persy Rosin 710 Labs The Chauffeur #1



Matrix : Derivative

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21223002-008

Harvest/Lot ID: 20220909-710TC1-F5H3

Batch#: 1000059493 Sampled: 12/22/22 Ordered: 12/22/22

Sample Size Received: 16 gram

Total Amount: 364 units Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

	(%)	mg/unit	%	Result (%)	Terpenes LOD mg/unit % Result (%) (%)	
OTAL TERPENES	0.007	59.42	5.942		CAMPHOR 0.013 ND ND	
OTAL TERPINEOL	0.007	1.39	0.139		BORNEOL 0.013 0.42 0.042	
AMPHENE	0.007	0.56	0.056		GERANIOL 0.007 0.61 0.061	
ETA-MYRCENE	0.007	1.42	0.142		PULEGONE 0.007 ND ND	
CARENE	0.007	ND	ND		ALPHA-CEDRENE 0.007 ND ND	
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE 0.007 2.55 0.255	
CIMENE	0.007	< 0.2	< 0.02		TRANS-NEROLIDOL 0.007 < 0.2 < 0.02	
UCALYPTOL	0.007	ND	ND		GUAIOL 0.007 ND ND	
NALOOL	0.007	7.92	0.792		Analyzed by: Weight: Extraction date:	Extracted by:
ENCHONE	0.007	< 0.2	< 0.02		2076, 53, 1440 0.9458g 12/26/22 19:03:46	2076
SOPULEGOL	0.007	< 0.2	< 0.02		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL	
OBORNEOL	0.007	ND	ND		Analytical Batch : DA054001TER Reviewed On : 12/27/22 11:22:37 Instrument Used : DA-GCMS-004 Batch Date : 12/23/22 15:05:28	
EXAHYDROTHYMOL	0.007	ND	ND		Running on : 12/26/22 19:47:12	
EROL	0.007	ND	ND		Dilution: 10	
ERANYL ACETATE	0.007	ND	ND		Reagent: 120722.08	
ETA-CARYOPHYLLENE	0.007	9.16	0.916		Consumables: 210414634; MKCN9995; CE0123; R1KB14270	
			ND		Pipette : N/A	
ALENCENE	0.007	ND	ND			
	0.007 0.007	ND ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
S-NEROLIDOL					Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
S-NEROLIDOL EDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
S-NEROLIDOL EDROL ARYOPHYLLENE OXIDE	0.007 0.007	ND ND	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
S-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE	0.007 0.007 0.007	ND ND <0.2	ND ND <0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry:	
S-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL	0.007 0.007 0.007 0	ND ND <0.2 0.31	ND ND <0.02 0.031		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE	0.007 0.007 0.007 0 0.007	ND ND <0.2 0.31 2.61	ND ND <0.02 0.031 0.261		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
ALENCENE SIS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE	0.007 0.007 0.007 0 0.007 0.007	ND ND <0.2 0.31 2.61 2.08	ND ND <0.02 0.031 0.261 0.208		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE	0.007 0.007 0.007 0 0.007 0.007	ND ND <0.2 0.31 2.61 2.08 ND	ND ND <0.02 0.031 0.261 0.208 ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE BRINENE ETA-PINENE	0.007 0.007 0.007 0 0.007 0.007 0.007	ND ND <0.2 0.31 2.61 2.08 ND 3.05	ND ND <0.02 0.031 0.261 0.208 ND 0.305		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE	0.007 0.007 0.007 0 0.007 0.007 0.007 0.007	ND ND <0.2 0.31 2.61 2.08 ND 3.05 ND	ND ND <0.02 0.031 0.261 0.208 ND 0.305 ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE MONENE	0.007 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007	ND ND <0.2 0.31 2.61 2.08 ND 3.05 ND 25.04	ND ND <0.02 0.031 0.261 0.208 ND 0.305 ND 2.504		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE MONENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND <0.2 0.31 2.61 2.08 ND 3.05 ND 25.04 ND	ND ND <0.02 0.031 0.261 0.208 ND 0.305 ND 2.504 ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	
IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE MONENE AMMA-TERPINENE ERPINOLENE	0.007 0.007 0.007 0 0 0.007 0.007 0.007 0.007 0.007 0.007	ND ND <0.2 0.31 2.61 2.08 ND 3.05 ND 25.04 ND	ND ND <0.02 0.031 0.261 0.208 ND 0.305 ND 2.504 ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



Kaycha Labs

710 Labs The Chauffeur #1 Persy Rosin 710 Labs The Chauffeur #1

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21223002-008

Harvest/Lot ID: 20220909-710TC1-F5H3

Batch#: 1000059493 Sampled: 12/22/22 Ordered: 12/22/22

Sample Size Received: 16 gram Total Amount: 364 units

Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PA:	SS	ED	
-----	----	----	--

_												
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	0.068	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	0.068	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND					0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN		0.01	ppm			
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND			0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM						
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZEN	IE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
IAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
ICHLORVOS	0.01	ppm	0.1	PASS	ND					/		
IMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 795, 53, 1440	Weight: 0.2036g		ction date 3/22 17:22:5		3379,585	by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.10						Gainecvi
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	71.1 L (Gairlesviii	e), 301 . i	.50.102.1L	(Davie), Joi	.1.40.101.11 (Janiesvii
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053984PI	ES		Reviewed	On:12/26/2	2 12:41:45	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-00	03 (PES)		Batch Dat	te:12/23/22	14:17:45	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on: 12/23/22 23:03:5	2					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	1. /	/_ A.	/\	/ \		
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 121922.R01; 12192 Consumables: 6676024-02	2.R03; 120622.I	R07; 122	122.R01; 09	92820.59		
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-	219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is		ina Liauic	Chromaton	ranhy Trinle-(Quadrunole Ma	cc
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with	r F.S. Rule 64ER2	20-39.	Cilioinatog	парпу піріе-ч	Quaurupole Ma	33
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extra	ction date	: \ /	Extracted	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440, 53	0.2036g	12/23	3/22 17:22:5	58	3379,585	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.15						
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA053987V				1:12/26/22 1		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-0	06	В	atch Date :	12/23/22 14:	19:34	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Running on : N/A Dilution : 250						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 121922.R03; 09282	0.59					
IEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02	0.55					
	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-	219					
TYCLOBUTANIL	0.01											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



Kaycha Labs

710 Labs The Chauffeur #1 Persy Rosin 710 Labs The Chauffeur #1

Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21223002-008

Harvest/Lot ID: 20220909-710TC1-F5H3

Batch#: 1000059493 Sampled: 12/22/22 Ordered: 12/22/22

Sample Size Received: 16 gram Total Amount: 364 units

Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction	date:	77 - 17 - \	Extracted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA054006SOL Instrument Used : DA-GCMS-002

Running on: 12/26/22 13:40:22Dilution: 1

850, 585, 53, 1440

Reagent: 071420.56 Consumables : 27296; KF140 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 12/26/22 13:53:15 Batch Date: 12/23/22 18:08:19

12/26/22 11:55:13

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

0.0266g

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



Kaycha Labs

710 Labs The Chauffeur #1 Persy Rosin 710 Labs The Chauffeur #1 Matrix : Derivative

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21223002-008

Harvest/Lot ID: 20220909-710TC1-F5H3

Batch#: 1000059493 Sampled: 12/22/22 Ordered: 12/22/22

 $\textbf{Reviewed On:} \ 12/27/22 \ 12:02:41$ Batch Date: 12/23/22 11:44:28

Sample Size Received: 16 gram Total Amount: 364 units

Completed: 12/27/22 Expires: 12/27/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present		
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3390, 585, 53, 1440	Weight: 0.8955a	Extraction 12/23/22		Extracte 3621.33	

Analysis Method: SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA053952MIC
Instrument Used : PathogenDx Scanner DA-111

Running on: 12/23/22 18:55:17

Dilution: N/A Reagent: 071122.R03; 110822.R31; 052422.10

Consumables : N/A Pipette: N/A

Analyzed by: 3390, 3621, 585, 1440	Weight: 0.8955g	Extraction date: 12/23/22 14:38:04	Extracted by: 3621,3390
Analysis Method : SOP.T.40.20	8 (Gainesville), SOP.T.40.209.FL	
Analytical Batch: DA053998T\	/M	Reviewed On: 1	2/26/22 13:33:33
Instrument Used: Incubator (2	5-27C) DA-09	7 Batch Date: 12/	23/22 14:38:40

Running on: 12/23/22 22:50:40 Dilution: N/A Reagent: 071122.R03

Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 795, 53, 1440	Weight: 0.2036g	Extraction d 12/23/22 17			Extracted 3379,585	by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch: DA053986MYC

Instrument Used : DA-LCMS-003 (MYC) Running on: 12/23/22 23:04:36

Reviewed On: 12/26/22 12:43:02 Batch Date: 12/23/22 14:19:30

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINAN	IT LOAD META	LS 0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	0.2
Analyzed by:	Weight:	Extraction da			Extracted	by:
1879, 1440, 53	0.5888g	12/23/22 18:	41:20		1879	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA053964HEA Instrument Used: DA-ICPMS-003 Running on: 12/23/22 18:24:35 Reviewed On: 12/26/22 12:31:10 **Batch Date**: 12/23/22 13:10:23

Dilution: 50

Reagent: 112222.R82; 080222.R36; 121622.R05; 121322.R06; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

710 Labs The Chauffeur #1 Persy Rosin 710 Labs The Chauffeur #1 Matrix : Derivative



Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US

Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21223002-008

Harvest/Lot ID: 20220909-710TC1-F5H3

Batch#: 1000059493 Sampled: 12/22/22 Ordered: 12/22/22

Reviewed On: 12/24/22 11:15:29 **Batch Date:** 12/24/22 11:08:06

Reviewed On: 12/23/22 21:35:50 Batch Date: 12/23/22 13:49:06

Sample Size Received: 16 gram Total Amount: 364 units

Completed: 12/27/22 Expires: 12/27/23

Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign Material

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

Extraction date: Extracted by: NA

Analysis Method: SOP.T.40.090

Analytical Batch: DA054033FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 12/24/22 11:09:14

Dilution: N/A Reagent: N/A

Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.1	aw	0.456	PASS	0.85
Analyzed by: 2926, 53, 1440	Weight: 0.551g		traction da /23/22 16:			tracted by: 26

Analyzed by: 2926, 53, 1440 Weight: 0.551g

Analysis Method : SOP.T.40.019
Analytical Batch : DA053972WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $12/23/22 \ 16:08:14$

Dilution : N/A Reagent: 100522.08 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/27/22