kaycha° 4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

(954) 368-7664

FLOWER 3.5G - PACKS MYLAR BAG PACKS: Blue Slushie #3 Strain: PACKS: BLUE SLUSHIE #3 Matrix: Flower

Classification: High THC Type: Flower-Cured



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest/Lot ID: 0505424024911779 Batch #: 9218324705989771 **Harvest Date:** 09/04/25 Production Method: Cured Total Amount: 2017 units Cultivation Facility: Homestead Processing Facility: Homestead Retail Product Size: 3.5 gram

Retail Serving Size: 3.5 Servings: 1

Seed To Sale #: 0505424024911779

Lab ID: DA50905002-002 Sampled: 09/04/25

Sampling Method: SOP.T.20.010

Sample Size: 9 units Completed: 09/09/25

Manifest #: 1234130424415087

The Flowery

Samples From: Homestead, FL, 33090, US theflowery.co

License #: M00020CULPROHomestead002

≣FLOWERY

SAFETY RESULTS



Pesticide

PASSED





Microbial

PASSED



PASSED





Material

PASSED





PASSED



Moisture Content **PASSED**



MISC.

Terpenes TESTED



Cannabinoid

Heavy Metals

PASSED

TESTED



Total THC

25.7% Total THC/Container: 899 mg



Total CBD 0.0627%

Total CBD/Container: 2.19 mg

Extraction date:

09/05/25 11:32:24


Batch Date: 09/05/25 09:24:41



Total Cannabinoids 30.7%

Extracted by:

Total Cannabinoids/Container: 1070 mg



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA090279POT Instrument Used: DA-LC-001 Analyzed Date: 09/09/25 09:40:23

Analyzed by: 4640, 1665, 585, 3335, 1440

Dilution: 400

Reagent: 090325.R08; 071025.07; 090325.R05

Consumables: 947.110; 04402004; 040724CH01; 0000355309 **Pipette**: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Weight: 0.2036q

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



FLOWER 3.5G - PACKS MYLAR BAG PACKS: Blue Slushie #3 Strain: PACKS: BLUE SLUSHIE #3

Matrix: Flower Classification: High THC Type: Flower-Cured



Certificate of Analysis

(954) 368-7664

Samples From: Homestead, FL, 33090, US

theflowery.co **License #:** M00020CULPROHomestead002

Sample: DA50905002-002

Batch #: 9218324705989771 Harvest/Lot ID: 0505424024911779 Seed to sale: 0505424024911779

Ordered: 09/04/25 Sampled: 09/05/25 Completed: 09/09/25

PASSED

Pages 2 of 7



Label Claim Verification

PASSED

ANALYTES UNIT LOD LOQ LIMIT PASS/FAIL **RESULT QUALIFIER**

Analyzed by: Weight: **Extraction date:** Extracted by:

Analysis Method: N/A Analytical Batch: N/A Instrument Used: N/A Analyzed Date: 09/09/25 09:40:48

Batch Date: N/A



Terpenes

TESTED

ANALYTES	L	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0	0.007	0.02		TESTED	2.19	76.6	
BETA-CARYOPHYLLENE	0	0.007	0.02		TESTED	0.746	26.1	
LIMONENE	0	0.007	0.02		TESTED	0.574	20.1	
ALPHA-HUMULENE	0	0.007	0.02		TESTED	0.316	11.0	
LINALOOL	0	0.007	0.02		TESTED	0.148	5.19	
BETA-PINENE	0	0.007	0.02		TESTED	0.0994	3.48	
FENCHYL ALCOHOL	0	0.007	0.02		TESTED	0.0707	2.47	
ALPHA-BISABOLOL	0	0.007	0.02		TESTED	0.0629	2.20	
ALPHA-TERPINEOL	0	0.007	0.02		TESTED	0.0596	2.09	
ALPHA-PINENE	C	0.007	0.02		TESTED	0.0542	1.90	
BETA-MYRCENE	0	0.007	0.02		TESTED	0.0337	1.18	
CARYOPHYLLENE OXIDE	0	0.007	0.02		TESTED	0.0239	0.835	
3-CARENE	0	0.007	0.02		TESTED	ND	ND	
BORNEOL	0	0.013	0.04		TESTED	ND	ND	
CAMPHENE	0	0.007	0.02		TESTED	ND	ND	
CAMPHOR	0	0.007	0.02		TESTED	ND	ND	
CEDROL	0	0.007	0.02		TESTED	ND	ND	
EUCALYPTOL	0	0.007	0.02		TESTED	ND	ND	
FARNESENE	C	0.007	0.02		TESTED	ND	ND	
FENCHONE	C	0.007	0.02		TESTED	ND	ND	
GERANIOL	C	0.007	0.02		TESTED	ND	ND	
GERANYL ACETATE	C	0.007	0.02		TESTED	ND	ND	
GUAIOL	C	0.007	0.02		TESTED	ND	ND	
HEXAHYDROTHYMOL	0	0.007	0.02		TESTED	ND	ND	
ISOBORNEOL	0	0.007	0.02		TESTED	ND	ND	
ISOPULEGOL	0	0.007	0.02		TESTED	ND	ND	
NEROL	0	0.007	0.02		TESTED	ND	ND	
OCIMENE	0	0.007	0.02		TESTED	ND	ND	
PULEGONE	0	0.007	0.02		TESTED	ND	ND	
SABINENE	0	0.007	0.02		TESTED	ND	ND	
SABINENE HYDRATE	0	0.007	0.02		TESTED	ND	ND	
VALENCENE	C	0.007	0.02		TESTED	ND	ND	
ALPHA-CEDRENE	C	0.005	0.016		TESTED	ND	ND	
ALPHA-PHELLANDRENE	C	0.007	0.02		TESTED	ND	ND	
ALPHA-TERPINENE	C	0.007	0.02		TESTED	ND	ND	
ALPHA-TERPINOLENE	0	0.007	0.02		TESTED	ND	ND	
CIS-NEROLIDOL	0	0.003	0.008		TESTED	ND	ND	
GAMMA-TERPINENE	0	0.007	0.02		TESTED	ND	ND	
TRANS-NEROLIDOL		0.005	0.016		TESTED	ND	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



License #: M00020CULPROHomestead002

Kaycha Labs

FLOWER 3.5G - PACKS MYLAR BAG PACKS: Blue Slushie #3 Strain: PACKS: BLUE SLUSHIE #3

Matrix: Flower Classification: High THC Type: Flower-Cured



Certificate of Analysis

Sample: DA50905002-002

Batch #: 9218324705989771 Harvest/Lot ID: 0505424024911779 Seed to sale: 0505424024911779

Ordered: 09/04/25 Sampled: 09/05/25 Completed: 09/09/25

Batch Date: 09/05/25 10:01:50

PASSED

Pages 3 of 7



Samples From:

theflowery.co

Homestead, FL, 33090, US

Terpenes

TESTED

ANALYTES LOD LOQ PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER LIMIT

Analyzed by: 4444, 4451, 585, 1440 Weight: **Extraction date:** Extracted by: 1.137g 09/05/25 12:08:23

Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA090295TER

Instrument Used: DA-GCMS-008 Analyzed Date: 09/08/25 10:05:32

Dilution: 10

Reagent: 062725.52 Consumables: 947.110; 04402004; 2240626; 0000355309

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Pesticide

PASSED

TOTAL CONTAMINANT LOAD (PESTICIDES) ppm 0.01 0.05 5 PASS ND TOTAL DIBNETHOMORPH ppm 0.01 0.05 0.1 PASS ND TOTAL PERMETHRINS ppm 0.01 0.05 0.1 PASS ND TOTAL SPINETORAM ppm 0.01 0.05 0.1 PASS ND TOTAL SPINOSAD ppm 0.01 0.05 0.1 PASS ND AGEHATE ppm 0.01 0.05 0.1 PASS ND ACECHATE ppm 0.01 0.05 0.1 PASS ND ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND AZOXYSTROBIN ppm 0.01 <th>QUALIFIER</th>	QUALIFIER
TOTAL PERMETHRIN ppm 0.01 0.05 0.1 PASS ND TOTAL PYRETHRINS ppm 0.01 0.05 0.2 PASS ND TOTAL SPINETORAM ppm 0.01 0.05 0.1 PASS ND TOTAL SPINOSAD ppm 0.01 0.05 0.1 PASS ND AGEMATE ppm 0.01 0.05 0.1 PASS ND ACEPHATE ppm 0.01 0.05 0.1 PASS ND ACEGUINOCYL ppm 0.01 0.05 0.1 PASS ND ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND BIFENTHRING ppm 0.01 0.05	
TOTAL PYRETHRINS ppm 0.01 0.05 0.5 PASS ND TOTAL SPINETORAM ppm 0.01 0.05 0.2 PASS ND TOTAL SPINOSAD ppm 0.01 0.05 0.1 PASS ND ABAMECTIN B1A ppm 0.01 0.05 0.1 PASS ND ACEPHATE ppm 0.01 0.05 0.1 PASS ND ACEQUINCYL ppm 0.01 0.05 0.1 PASS ND ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND BIFENTAZITE ppm 0.01 0.05 0.1 PASS ND BIFENTHRIN ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05	
TOTAL SPINETORAM ppm 0.01 0.05 0.2 PASS ND TOTAL SPINOSAD ppm 0.01 0.05 0.1 PASS ND ABAMECTIN B1A ppm 0.01 0.05 0.1 PASS ND ACEPHATE ppm 0.01 0.05 0.1 PASS ND ACEQUINOCYL ppm 0.01 0.05 0.1 PASS ND ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND ACOXYSTROBIN ppm 0.01 0.05 0.1 PASS ND BIEENTHRIN ppm 0.01 0.05 0.1 PASS ND BIESCHALID ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05 0.1 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05	
TOTAL SPINOSAD ppm 0.01 0.05 0.1 PASS ND ABAMECTIN B1A ppm 0.01 0.05 0.1 PASS ND ACEPHATE ppm 0.01 0.05 0.1 PASS ND ACEQUINOCYL ppm 0.01 0.05 0.1 PASS ND ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND BIERNAZATE ppm 0.01 0.05 0.1 PASS ND BIERNHRIN ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05 0.1 PASS ND CHLORANTRAINLIPROLE ppm 0.01 0.05 <t< td=""><td></td></t<>	
ABAMECTIN B1A ppm 0.01 0.05 0.1 PASS ND ACEPHATE ppm 0.01 0.05 0.1 PASS ND ACEQUINOCYL ppm 0.01 0.05 0.1 PASS ND ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND BIFENTARINI ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05 0.1	
ACEPHATE ppm 0.01 0.05 0.1 PASS ND ACEQUINOCYL ppm 0.01 0.05 0.1 PASS ND ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND ALDICABB ppm 0.01 0.05 0.1 PASS ND AZOXYSTROBIN ppm 0.01 0.05 0.1 PASS ND BIFENAZATE ppm 0.01 0.05 0.1 PASS ND BIFENTHRIN ppm 0.01 0.05 0.1 PASS ND BOSCALID ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05 0.1 PASS ND CHLORARGANILIPROLE ppm 0.01 0.05 0.1 PASS ND CHLORARGUAT CHLORIDE ppm 0.01 0.05 0.1 PASS ND CHLORAPYRIFOS ppm 0.01 0.05	
ACEQUINOCYL	
ACETAMIPRID ppm 0.01 0.05 0.1 PASS ND ALDICARB ppm 0.01 0.05 0.1 PASS ND AZOXYSTROBIN ppm 0.01 0.05 0.1 PASS ND BIFENZATE ppm 0.01 0.05 0.1 PASS ND BIFENTHRIN ppm 0.01 0.05 0.1 PASS ND BOSCALID ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05 0.1 PASS ND CARBOFURAN ppm 0.01 0.05 0.1 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORRATRANILIPROLE ppm 0.01 0	
ALDICARB	
AZOXYSTROBIN ppm 0.01 0.05 0.1 PASS ND	
BIFENAZATE ppm 0.01 0.05 0.1 PASS ND BIFENTHRIN ppm 0.01 0.05 0.1 PASS ND BOSCALID ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05 0.5 PASS ND CARBOFURAN ppm 0.01 0.05 0.1 PASS ND CHLORANTEANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORANTEANILIPROLE ppm 0.01 0.05 0.1 PASS ND CHLORANTEANILIPROLE ppm 0.01 0.05 0.1 PASS ND CLOFENTEZINE ppm 0.01<	
BIFENTHRIN ppm 0.01 0.05 0.1 PASS ND BOSCALID ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05 0.5 PASS ND CARBOFURAN ppm 0.01 0.05 0.5 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORAPYRIFOS ppm 0.01 0.05 1 PASS ND CLOFENTEZINE ppm 0.01 0.05 0.1 PASS ND CLOFENTEZINE ppm 0.01 0.05 0.1 PASS ND COUMAPHOS ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOSAZOLE ppm 0.01 0.05 0.1 PASS ND ETOSAZOLE ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND	
BOSCALID ppm 0.01 0.05 0.1 PASS ND CARBARYL ppm 0.01 0.05 0.5 PASS ND CARBOFURAN ppm 0.01 0.05 0.1 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORAPYRIFOS ppm 0.01 0.05 1 PASS ND CLOFENTEZINE ppm 0.01 0.05 0.1 PASS ND COUMAPHOS ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0	
CARBARYL ppm 0.01 0.05 0.5 PASS ND CARBOFURAN ppm 0.01 0.05 0.1 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORMEQUAT CHLORIDE ppm 0.01 0.05 1 PASS ND CHLORPYRIFOS ppm 0.01 0.05 0.1 PASS ND CLOFENTEZINE ppm 0.01 0.05 0.2 PASS ND COMMAPHOS ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05	
CARBOFURAN ppm 0.01 0.05 0.1 PASS ND CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORMEQUAT CHLORIDE ppm 0.01 0.05 1 PASS ND CHLORPYRIFOS ppm 0.01 0.05 0.1 PASS ND CLOFENTEZINE ppm 0.01 0.05 0.2 PASS ND COUMAPHOS ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENDXYCARB ppm 0.01 0.05	
CHLORANTRANILIPROLE ppm 0.01 0.05 1 PASS ND CHLORMEQUAT CHLORIDE ppm 0.01 0.05 1 PASS ND CHLORPYRIFOS ppm 0.01 0.05 0.1 PASS ND CLOFENTEZINE ppm 0.01 0.05 0.2 PASS ND COUMAPHOS ppm 0.01 0.05 0.1 PASS ND DAMINOZIDE ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENDXYCARB ppm 0.01 0.05	
CHLORMEQUAT CHLORIDE ppm 0.01 0.05 1 PASS ND CHLORPYRIFOS ppm 0.01 0.05 0.1 PASS ND CLOFENTEZINE ppm 0.01 0.05 0.2 PASS ND COUMAPHOS ppm 0.01 0.05 0.1 PASS ND DAMINOZIDE ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENDXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05	
CHLORPYRIFOS ppm 0.01 0.05 0.1 PASS ND CLOFENTEZINE ppm 0.01 0.05 0.2 PASS ND COUMAPHOS ppm 0.01 0.05 0.1 PASS ND DAMINOZIDE ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENDXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0	
CLOFENTEZINE ppm 0.01 0.05 0.2 PASS ND COUMAPHOS ppm 0.01 0.05 0.1 PASS ND DAMINOZIDE ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENDXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
COUMAPHOS ppm 0.01 0.05 0.1 PASS ND DAMINOZIDE ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
DAMINOZIDE ppm 0.01 0.05 0.1 PASS ND DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENDXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
DIAZINON ppm 0.01 0.05 0.1 PASS ND DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
DICHLORVOS ppm 0.01 0.05 0.1 PASS ND DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
DIMETHOATE ppm 0.01 0.05 0.1 PASS ND ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
ETHOPROPHOS ppm 0.01 0.05 0.1 PASS ND ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
ETOFENPROX ppm 0.01 0.05 0.1 PASS ND ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
ETOXAZOLE ppm 0.01 0.05 0.1 PASS ND FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
FENHEXAMID ppm 0.01 0.05 0.1 PASS ND FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
FENOXYCARB ppm 0.01 0.05 0.1 PASS ND FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
FENPYROXIMATE ppm 0.01 0.05 0.1 PASS ND	
FIPRONIL ppm 0.01 0.05 0.1 PASS ND	
FLONICAMID ppm 0.01 0.05 0.1 PASS ND	
FLUDIOXONIL ppm 0.01 0.05 0.1 PASS ND	
HEXYTHIAZOX ppm 0.01 0.05 0.1 PASS ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

FLOWER 3.5G - PACKS MYLAR BAG PACKS: Blue Slushie #3 Strain: PACKS: BLUE SLUSHIE #3

Matrix: Flower Classification: High THC Type: Flower-Cured



Certificate of Analysis

Samples From: Homestead, FL, 33090, US

theflowery.co **License #:** M00020CULPROHomestead002

Sample: DA50905002-002

Batch #: 9218324705989771 Harvest/Lot ID: 0505424024911779 Seed to sale: 0505424024911779 Pages 4 of 7

Ordered: 09/04/25 Sampled: 09/05/25 Completed: 09/09/25

PASSED



Pesticide

PASSED

Analyzed by:	Weight:	Extraction da	te:			E	ctracted by:	
CYPERMETHRIN		ppm	0.05	0.25	0.5	PASS	ND	
CYFLUTHRIN		ppm	0.05	0.25	0.5	PASS	ND	
CHLORFENAPYR		ppm	0.01	0.05	0.1	PASS	ND	
CHLORDANE		ppm	0.01	0.05	0.1	PASS	ND	
CAPTAN		ppm	0.07	0.35	0.7	PASS	ND	
PARATHION-METHYL		ppm	0.01	0.05	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)		ppm	0.01	0.05	0.15	PASS	ND	
TRIFLOXYSTROBIN		ppm	0.01	0.05	0.1	PASS	ND	
THIAMETHOXAM		ppm	0.01	0.05	0.5	PASS	ND	
THIACLOPRID		ppm	0.01	0.05	0.1	PASS	ND	
TEBUCONAZOLE		ppm	0.01	0.05	0.1	PASS	ND	
SPIROXAMINE		ppm	0.01	0.05	0.1	PASS	ND	
SPIROTETRAMAT		ppm	0.01	0.05	0.1	PASS	ND	
SPIROMESIFEN		ppm	0.01	0.05	0.1	PASS	ND	
PYRIDABEN		ppm	0.01	0.05	0.2	PASS	ND	
PROPOXUR		ppm	0.01	0.05	0.1	PASS	ND	
PROPICONAZOLE		ppm	0.01	0.05	0.1	PASS	ND	
PRALLETHRIN		ppm	0.01	0.05	0.1	PASS	ND	
PIPERONYL BUTOXIDE		ppm	0.01	0.05	3	PASS	ND	
PHOSMET		ppm	0.01	0.05	0.1	PASS	ND	
PACLOBUTRAZOL		ppm	0.01	0.05	0.1	PASS	ND	
OXAMYL		ppm	0.01	0.05	0.5	PASS	ND	
NALED		ppm	0.01	0.05	0.25	PASS	ND	
MYCLOBUTANIL		ppm	0.01	0.05	0.1	PASS	ND	
MEVINPHOS		ppm	0.01	0.05	0.1	PASS	ND	
METHOCARD		ppm	0.01	0.05	0.1	PASS	ND	
METHIOCARB		ppm	0.01	0.05	0.1	PASS	ND	
METALAXYL		ppm	0.01	0.05	0.2	PASS	ND	
MALATHION		ppm ppm	0.01	0.05	0.1	PASS	ND ND	
KRESOXIM-METHYL		ppm	0.01	0.05	0.4	PASS	ND ND	
MIDACLOPRID		ppm	0.01	0.05	0.1	PASS	ND ND	
MAZALIL			0.01	0.05	0.1	PASS	ND	

09/05/25 15:10:42

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch: DA090286PES

Instrument Used: DA-LCMS-004 (PES)

Analyzed Date: 09/08/25 16:52:59

Dilution: 250

3379, 585, 1440

Reagent: 090425.R28; 043025.28; 090425.R03; 090425.R29; 090425.R30; 070225.R43; 090425.R01
Consumables: 927.100; 030125CH01; 6698360-03
Pipette: DA-093; DA-094; DA-219

1.1234g

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Batch Date: 09/05/25 09:53:52

450,585

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

FLOWER 3.5G - PACKS MYLAR BAG PACKS: Blue Slushie #3 Strain: PACKS: BLUE SLUSHIE #3

Matrix: Flower Classification: High THC Type: Flower-Cured



Certificate of Analysis

Samples From: Homestead, FL, 33090, US

theflowery.co License #: M00020CULPROHomestead002 Sample: DA50905002-002

Batch #: 9218324705989771 Harvest/Lot ID: 0505424024911779 Seed to sale: 0505424024911779

Pages 5 of 7

Ordered: 09/04/25 Sampled: 09/05/25 Completed: 09/09/25

PASSED



Pesticide

PASSED

UNIT **QUALIFIER ANALYTES** LOD LOQ LIMIT PASS/FAIL RESULT

Analyzed by: Weight: Extraction date: Extracted by: 450, 585, 1440 1.1234g 450,585 09/05/25 15:10:42

Analysis Method: SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch: DA090290VOL Instrument Used: DA-GCMS-011 Batch Date: 09/05/25 09:56:04 Analyzed Date: 09/08/25 10:05:14

Dilution: 250

Reagent: 090425.R28; 043025.28; 082025.R16; 082025.R17 Consumables: 927.100; 030125CH01; 6698360-03; 17473601

Pipette: DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Microbial

PASSED

Batch Date: 09/05/25 08:29:12

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS			10000	10000	10000	PASS	Not Present	
SALMONELLA SPECIFIC GENE			10000	10000	10000	PASS	Not Present	
ASPERGILLUS FUMIGATUS			10000	10000	10000	PASS	Not Present	
ECOLI - SHIGELLA			1949	1949	1949	PASS	Not Present	
ASPERGILLUS TERREUS			10000	10000	10000	PASS	Not Present	
ASPERGILLUS NIGER			10000	10000	10000	PASS	Not Present	
TOTAL YEAST AND MOLD		CFU/g	10	10	100000	PASS	1050	
Analyzed by:	Weight:	Extractio	n date:			E	xtracted by:	
4571 4892 585 1440	0.813a	09/05/25 1	10.14.58			4	520 4571	

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA090277MIC Instrument Used: DA-111 (PathogenDx Scanner), DA-010 (Thermocycler), DA-049 (95*C Heat Block), DA-402 (55*C Heat Block)

Analyzed Date: 09/08/25 09:59:57

Dilution: 10 **Reagent:** 071825.03; 071825.07; 082725.R39; 080724.13

Consumables: 7582004058

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyzed by: Weight: Extraction date: Extracted by: 4571, 5008, 585, 1440 09/05/25 10:14:58 4520 4571

Analysis Method: SOP.T.40.209.FL Analytical Batch: DA090278TYM Instrument Used: DA-328 (25*C Incubator) Analyzed Date: 09/09/25 15:22:26

Reagent: 071825.03; 071825.07; 072425.R12 Consumables: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES UNIT LOD LOO LIMIT PASS/FAIL **RESULT OUALIFIER** AFLATOXIN B2 0.002 0.01 0.02 PASS ND ppm

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

Batch Date: 09/05/25 08:29:34

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

09/09/25 Laboratory License #: 900002



Kaycha Labs

FLOWER 3.5G - PACKS MYLAR BAG PACKS: Blue Slushie #3 Strain: PACKS: BLUE SLUSHIE #3

Matrix: Flower Classification: High THC Type: Flower-Cured



Certificate of Analysis

Pages 6 of 7

Samples From: Homestead, FL, 33090, US

theflowery.co License #: M00020CULPROHomestead002 Sample: DA50905002-002 Batch #: 9218324705989771 Harvest/Lot ID: 0505424024911779 Seed to sale: 0505424024911779

Ordered: 09/04/25 Sampled: 09/05/25 Completed: 09/09/25

PASSED



Mycotoxins

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1		ppm	0.002	0.01	0.02	PASS	ND	
OCHRATOXIN A		ppm	0.002	0.01	0.02	PASS	ND	
AFLATOXIN G1		ppm	0.002	0.01	0.02	PASS	ND	
AFLATOXIN G2		ppm	0.002	0.01	0.02	PASS	ND	
Analyzed by:	Weight:	Extraction dat	te:			Ex	tracted by:	
3379 585 1///0	1 123/m	09/05/25 15:10	.12			/15	0 585	

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.30.102.FL, SOP.T.40.102.FL \\ \textbf{Analytical Batch:} DA090289MYC \end{array}$

Instrument Used: N/A **Analyzed Date :** 09/08/25 16:49:46

Dilution: 250

Reagent: 090425.R28; 043025.28; 090425.R03; 090425.R29; 090425.R30; 070225.R43; 090425.R01 Consumables: 927.100; 030125CH01; 6698360-03

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY		aw	0.01	0.1	0.65	PASS	0.56	
Analyzed by: 4797, 1879, 585, 1440	Weight: 1.235a		tion date	-			Extracted by: 1879	

Analysis Method: SOP.T.40.019 Analytical Batch: DA090299WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 09/05/25 15:27:29

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Batch Date: 09/05/25 09:55:55

Batch Date: 09/05/25 10:04:43



Moisture Content

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
MOISTURE CONTENT		%	1	1	15	PASS	10.1	
Analyzed by: 4797, 1879, 585, 1440	Weight: 0.502g		ion date 5 12:34:4				Extracted by: 1879	

Analysis Method: SOP.T.40.021 Analytical Batch: DA090298MOI

Instrument Used: DA-003 Moisture Analyzer Analyzed Date: 09/05/25 15:26:13

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Batch Date: 09/05/25 10:04:32

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



FLOWER 3.5G - PACKS MYLAR BAG PACKS: Blue Slushie #3

Batch Date: 09/05/25 09:54:12

Strain: PACKS: BLUE SLUSHIE #3

Matrix: Flower Classification: High THC Type: Flower-Cured



Certificate of Analysis

Samples From: Homestead, FL, 33090, US theflowery.co

License #: M00020CULPROHomestead002

Sample: DA50905002-002

Batch #: 9218324705989771 Harvest/Lot ID: 0505424024911779 Seed to sale: 0505424024911779

Pages 7 of 7

Kaycha Labs

Ordered: 09/04/25 Sampled: 09/05/25 Completed: 09/09/25

PASSED



Heavy Metals

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS		ppm	0.08	0.4	1.1	PASS	ND	
ARSENIC		ppm	0.02	0.1	0.2	PASS	ND	
CADMIUM		ppm	0.02	0.1	0.2	PASS	ND	
MERCURY		ppm	0.02	0.1	0.2	PASS	ND	
LEAD		ppm	0.02	0.1	0.5	PASS	ND	
Analyzed by:	Weight:	Extraction of	late:				Extracted by:	
1022 585 1440	0.2326a	09/05/25 12:0	N1·22				4531	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA090287HEA Instrument Used: DA-ICPMS-004

Analyzed Date: 09/08/25 10:01:56

Dilution: 50
Reagent: 081325.R05; 082125.R07; 090225.R16; 090325.R26; 090225.R18; 090225.R17; 080625.01; 090425.R33; 061323.01

Consumables : 030125CH01; J609879-0193; 179436 **Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filth/Foreign Material

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL		%	0.1	0.5	1	PASS	ND	
Analyzed by: 1879, 1440	Weight: 1g	Extraction date: 09/05/25 15:04:24					ktracted by: 379	

Analysis Method: SOP.T.40.090 Analytical Batch: DA090304FIL

Instrument Used: Filth/Foreign Material Microscope

Analyzed Date: 09/05/25 15:17:20

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Batch Date: 09/05/25 10:52:11

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/09/25 Laboratory License #: 900002

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.