



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest/Lot ID: 0624163310374166
Batch #: 9636756687723165
Harvest Date: 09/08/25
Production Method: Cured
Total Amount: 450 units
Cultivation Facility: Homestead
Processing Facility: Homestead
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 0624163310374166

Lab ID: DA50908007-003
Sampled: 09/08/25
Sampling Method: SOP.T.20.010
Sample Size: 26 units
Completed: 09/11/25
Manifest #: 1027812692108813

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

THE FLOWERY

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
NOT TESTED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
PASSED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
20.7%

Total THC/Container : 207 mg



Total CBD
0.0526%

Total CBD/Container : 0.526 mg



Total Cannabinoids
24.2%

Total Cannabinoids/Container : 242 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.913	22.5	ND	0.0600	0.0340	0.130	0.497	ND	ND	ND	0.0550
mg/unit	9.13	225	ND	0.600	0.340	1.30	4.97	ND	ND	ND	0.550
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
LOQ	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
4640, 1665, 585, 1440

Weight:
0.2079g

Extraction date:
09/09/25 11:17:41

Extracted by:
4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA090386POT

Instrument Used : DA-LC-002

Analyzed Date : 09/10/25 11:16:17

Batch Date : 09/09/25 09:22:19

Dilution : 400

Reagent : 090925.R16; 061825.15; 090925.R12

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/25
Laboratory License #: 900002



Certificate of Analysis

Pages 2 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: DA50908007-003

Batch #: 9636756687723165
Harvest/Lot ID: 0624163310374166
Seed to sale: 0624163310374166

Ordered: 09/08/25
Sampled: 09/08/25
Completed: 09/11/25

PASSED



Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:				Extracted by:	
Analysis Method : N/A							
Analytical Batch : N/A							
Instrument Used : N/A					Batch Date : N/A		
Analyzed Date : 09/10/25 11:16:16							



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.007	0.02		TESTED	1.91	19.1	
LIMONENE	0.007	0.02		TESTED	0.464	4.64	
BETA-CARYOPHYLLENE	0.007	0.02		TESTED	0.358	3.58	
LINALOOL	0.007	0.02		TESTED	0.286	2.86	
BETA-MYRCENE	0.007	0.02		TESTED	0.149	1.49	
FENCHYL ALCOHOL	0.007	0.02		TESTED	0.115	1.15	
ALPHA-HUMULENE	0.007	0.02		TESTED	0.115	1.15	
ALPHA-TERPINEOL	0.007	0.02		TESTED	0.104	1.04	
OCIMENE	0.007	0.02		TESTED	0.0980	0.980	
ALPHA-BISABOLOL	0.007	0.02		TESTED	0.0914	0.914	
BETA-PINENE	0.007	0.02		TESTED	0.0798	0.798	
ALPHA-PINENE	0.007	0.02		TESTED	0.0500	0.500	
3-CARENE	0.007	0.02		TESTED	ND	ND	
BORNEOL	0.013	0.04		TESTED	ND	ND	
CAMPHENE	0.007	0.02		TESTED	ND	ND	
CAMPHOR	0.007	0.02		TESTED	ND	ND	
CARYOPHYLLENE OXIDE	0.007	0.02		TESTED	ND	ND	
CEDROL	0.007	0.02		TESTED	ND	ND	
EUCALYPTOL	0.007	0.02		TESTED	ND	ND	
FARNESENE	0.007	0.02		TESTED	ND	ND	
FENCHONE	0.007	0.02		TESTED	ND	ND	
GERANIOL	0.007	0.02		TESTED	ND	ND	
GERANYL ACETATE	0.007	0.02		TESTED	ND	ND	
GUAJOL	0.007	0.02		TESTED	ND	ND	
HEXAHYDROTHYMOL	0.007	0.02		TESTED	ND	ND	
ISOBORNEOL	0.007	0.02		TESTED	ND	ND	
ISOPULEGOL	0.007	0.02		TESTED	ND	ND	
NEROL	0.007	0.02		TESTED	ND	ND	
PULEGONE	0.007	0.02		TESTED	ND	ND	
SABINENE	0.007	0.02		TESTED	ND	ND	
SABINENE HYDRATE	0.007	0.02		TESTED	ND	ND	
VALENCENE	0.007	0.02		TESTED	ND	ND	
ALPHA-CEDRENE	0.005	0.016		TESTED	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.02		TESTED	ND	ND	
ALPHA-TERPINENE	0.007	0.02		TESTED	ND	ND	
ALPHA-TERPINOLENE	0.007	0.02		TESTED	ND	ND	
CIS-NEROLIDOL	0.003	0.008		TESTED	ND	ND	
GAMMA-TERPINENE	0.007	0.02		TESTED	ND	ND	
TRANS-NEROLIDOL	0.005	0.016		TESTED	ND	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/25
Laboratory License #: 900002



Certificate of Analysis

Pages 3 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: DA50908007-003

Batch #: 9636756687723165
Harvest/Lot ID: 0624163310374166
Seed to sale: 0624163310374166

Ordered: 09/08/25
Sampled: 09/08/25
Completed: 09/11/25

PASSED



Terpenes

TESTED

ANALYTES

LOD LOQ LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

Analyzed by: 4451, 585, 1440	Weight: 0.9398g	Extraction date: 09/09/25 11:23:24	Extracted by: 4444
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
Analytical Batch : DA090411TER			
Instrument Used : DA-GCMS-009			
Batch Date : 09/09/25 10:28:12			
Analyzed Date : 09/11/25 09:35:39			
Dilution : 10			
Reagent : 062725.52			
Consumables : 947.110; 04312111; 2240626; 0000355309			
Pipette : DA-065			

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Pesticide

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.01	0.05	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.01	0.05	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.01	0.05	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.01	0.05	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.01	0.05	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.01	0.05	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.01	0.05	0.1	PASS	ND	
ACEPHATE	ppm	0.01	0.05	0.1	PASS	ND	
ACEQUINOCYL	ppm	0.01	0.05	0.1	PASS	ND	
ACETAMIPRID	ppm	0.01	0.05	0.1	PASS	ND	
ALDICARB	ppm	0.01	0.05	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.01	0.05	0.1	PASS	ND	
BIFENAZATE	ppm	0.01	0.05	0.1	PASS	ND	
BIFENTHRIN	ppm	0.01	0.05	0.1	PASS	ND	
BOSCALID	ppm	0.01	0.05	0.1	PASS	ND	
CARBARYL	ppm	0.01	0.05	0.5	PASS	ND	
CARBOFURAN	ppm	0.01	0.05	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.01	0.05	1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.01	0.05	1	PASS	ND	
CHLORPYRIFOS	ppm	0.01	0.05	0.1	PASS	ND	
CLOFENTEZINE	ppm	0.01	0.05	0.2	PASS	ND	
COUMAPHOS	ppm	0.01	0.05	0.1	PASS	ND	
DAMINOZIDE	ppm	0.01	0.05	0.1	PASS	ND	
DIAZINON	ppm	0.01	0.05	0.1	PASS	ND	
DICHLORVOS	ppm	0.01	0.05	0.1	PASS	ND	
DIMETHOATE	ppm	0.01	0.05	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.01	0.05	0.1	PASS	ND	
ETOFENPROX	ppm	0.01	0.05	0.1	PASS	ND	
ETOXAZOLE	ppm	0.01	0.05	0.1	PASS	ND	
FENHEXAMID	ppm	0.01	0.05	0.1	PASS	ND	
FENOXYCARB	ppm	0.01	0.05	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.01	0.05	0.1	PASS	ND	
FIPRONIL	ppm	0.01	0.05	0.1	PASS	ND	
FLONICAMID	ppm	0.01	0.05	0.1	PASS	ND	
FLUDIOXONIL	ppm	0.01	0.05	0.1	PASS	ND	
HEXYTHIAZOX	ppm	0.01	0.05	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/25
Laboratory License #: 900002



Certificate of Analysis

Pages 4 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: DA50908007-003

Batch #: 9636756687723165
Harvest/Lot ID: 0624163310374166
Seed to sale: 0624163310374166

Ordered: 09/08/25
Sampled: 09/08/25
Completed: 09/11/25

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMAZALIL	ppm	0.01	0.05	0.1	PASS	ND	
IMIDACLOPRID	ppm	0.01	0.05	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.01	0.05	0.1	PASS	ND	
MALATHION	ppm	0.01	0.05	0.2	PASS	ND	
METALAXYL	ppm	0.01	0.05	0.1	PASS	ND	
METHIOCARB	ppm	0.01	0.05	0.1	PASS	ND	
METHOMYL	ppm	0.01	0.05	0.1	PASS	ND	
MEVINPHOS	ppm	0.01	0.05	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.01	0.05	0.1	PASS	ND	
NALED	ppm	0.01	0.05	0.25	PASS	ND	
OXAMYL	ppm	0.01	0.05	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.01	0.05	0.1	PASS	ND	
PHOSMET	ppm	0.01	0.05	0.1	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.01	0.05	3	PASS	ND	
PRALLETHRIN	ppm	0.01	0.05	0.1	PASS	ND	
PROPICONAZOLE	ppm	0.01	0.05	0.1	PASS	ND	
PROPOXUR	ppm	0.01	0.05	0.1	PASS	ND	
PYRIDABEN	ppm	0.01	0.05	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.01	0.05	0.1	PASS	ND	
SPIROTETRAMAT	ppm	0.01	0.05	0.1	PASS	ND	
SPIROXAMINE	ppm	0.01	0.05	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.01	0.05	0.1	PASS	ND	
THIACLOPRID	ppm	0.01	0.05	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.01	0.05	0.5	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.01	0.05	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.01	0.05	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.01	0.05	0.1	PASS	ND	
CAPTAN	ppm	0.07	0.35	0.7	PASS	ND	
CHLORDANE	ppm	0.01	0.05	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.01	0.05	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.05	0.25	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.05	0.25	0.5	PASS	ND	

Analyzed by: 3379, 585, 1440	Weight: 0.9833g	Extraction date: 09/09/25 13:17:43	Extracted by: 3379,450
---------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA090408PES

Instrument Used : DA-LCMS-003 (PES)

Analyzed Date : 09/11/25 09:26:05

Batch Date : 09/09/25 09:40:24

Dilution : 250

Reagent : 090425.R28; 043025.28; 090425.R03; 090425.R29; 090425.R30; 070225.R43; 090425.R01

Consumables : 927.100; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/25
Laboratory License #: 900002



Certificate of Analysis

Pages 5 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: DA50908007-003

Batch #: 9636756687723165
Harvest/Lot ID: 0624163310374166
Seed to sale: 0624163310374166

Ordered: 09/08/25
Sampled: 09/08/25
Completed: 09/11/25

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 450, 585, 1440	Weight: 0.9833g	Extraction date: 09/09/25 13:17:43				Extracted by: 3379,450	
Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA090410VOL Instrument Used : DA-GCMS-011 Analyzed Date : 09/10/25 11:34:14 Batch Date : 09/09/25 09:41:44 Dilution : 250 Reagent : 090425.R28; 043025.28; 090825.R04; 090825.R05 Consumables : 927.100; 030125CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218							

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Microbial	PASSED
---	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10	10	100000	PASS	5000	
Analyzed by: 5008, 4520, 585, 1440	Weight: 0.855g	Extraction date: 09/09/25 09:36:00				Extracted by: 4520,5008	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA090375MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 09/10/25 11:00:54 Batch Date : 09/09/25 07:05:54 Dilution : 10 Reagent : 071525.206; 071825.01; 082725.R39; 012125.22 Consumables : 7582004034 Pipette : N/A							

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..

Analyzed by: 5008, 4520, 585, 1440	Weight: 0.855g	Extraction date: 09/09/25 09:36:00				Extracted by: 4520,5008	
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA090376TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 09/11/25 14:23:16 Batch Date : 09/09/25 07:06:40 Dilution : 10 Reagent : 071525.206; 071825.01; 072425.R12 Consumables : N/A Pipette : N/A							

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Mycotoxins	PASSED
---	-------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2	ppm	0.002	0.01	0.02	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/25
Laboratory License #: 900002



Certificate of Analysis

Pages 6 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: DA50908007-003

Batch #: 9636756687723165
Harvest/Lot ID: 0624163310374166
Seed to sale: 0624163310374166

Ordered: 09/08/25
Sampled: 09/08/25
Completed: 09/11/25

PASSED



Mycotoxins

PASSED

ANALYTES

	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.002	0.01	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.002	0.01	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.002	0.01	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.002	0.01	0.02	PASS	ND	

Analyzed by: 3379, 585, 1440	Weight: 0.9833g	Extraction date: 09/09/25 13:17:43	Extracted by: 3379,450
---------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA090409MYC
Instrument Used : DA-LCMS-004 (MYC)
Analyzed Date : 09/11/25 09:25:29

Batch Date : 09/09/25 09:41:37

Dilution : 250
Reagent : 090425.R28; 043025.28; 090425.R03; 090425.R29; 090425.R30; 070225.R43; 090425.R01
Consumables : 927.100; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

ANALYTES

	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.01	0.1	0.65	PASS	0.50	

Analyzed by: 4797, 585, 1440	Weight: 1.567g	Extraction date: 09/09/25 11:28:39	Extracted by: 4797
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA090402WAT
Instrument Used : DA-028 Rotronic Hygropalm
Analyzed Date : 09/10/25 09:56:37

Batch Date : 09/09/25 09:36:08

Dilution : N/A
Reagent : 101724.36
Consumables : PS-14
Pipette : N/A



Moisture Content

PASSED

ANALYTES

	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
MOISTURE CONTENT	%	1	1	15	PASS	11.0	

Analyzed by: 4797, 585, 1440	Weight: 0.502g	Extraction date: 09/09/25 11:26:04	Extracted by: 4797
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.021
Analytical Batch : DA090390MOI
Instrument Used : DA-003 Moisture Analyzer
Analyzed Date : 09/10/25 10:08:09

Batch Date : 09/09/25 09:28:17

Dilution : N/A
Reagent : 092520.50; 080125.01
Consumables : N/A
Pipette : DA-066

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/25
Laboratory License #: 900002



Certificate of Analysis

Pages 7 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: DA50908007-003

Batch #: 9636756687723165
Harvest/Lot ID: 0624163310374166
Seed to sale: 0624163310374166

Ordered: 09/08/25
Sampled: 09/08/25
Completed: 09/11/25

PASSED



Heavy Metals

PASSED

ANALYTES

	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.08	0.4	1.1	PASS	ND	
ARSENIC	ppm	0.02	0.1	0.2	PASS	ND	
CADMIUM	ppm	0.02	0.1	0.2	PASS	ND	
MERCURY	ppm	0.02	0.1	0.2	PASS	ND	
LEAD	ppm	0.02	0.1	0.5	PASS	ND	

Analyzed by:
1022, 585, 1440

Weight:
0.2375g

Extraction date:
09/09/25 11:36:12

Extracted by:
1022,4531

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA090387HEA

Instrument Used : DA-ICPMS-004

Analyzed Date : 09/10/25 09:53:09

Batch Date : 09/09/25 09:26:18

Dilution : 50

Reagent : 090925.R21; 082125.R07; 090825.R03; 090325.R26; 090825.R01; 090825.R02; 080625.01; 090425.R33; 061323.01

Consumables : 030125CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filth/Foreign Material

PASSED

ANALYTES

	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.1	0.5	1	PASS	ND	

Analyzed by:
585, 1440

Weight:
1g

Extraction date:
09/10/25 09:58:16

Extracted by:
585

Analysis Method : SOP.T.40.090

Analytical Batch : DA090456FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/10/25 12:01:31

Batch Date : 09/10/25 09:54:58

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/25
Laboratory License #: 900002