




Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30131012-007
Harvest/Lot ID: 20230109-PGCHLM-H16
Batch#: 1000067138
Cultivation Facility: Homestead
Processing Facility : Homestead
Distributor Facility :
Source Facility : Homestead
Seed to Sale# LFG-00001191
Batch Date: 01/30/23
Sample Size Received: 26 gram
Total Amount: 200 units
Retail Product Size: 2 gram
Ordered : 01/31/23
Sampled : 01/31/23
Completed: 02/03/23
Sampling Method: SOP.T.20.010


Feb 03, 2023 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY
PASSED
Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 3112, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA055474POT Instrument Used : DA-LC-002 (Flower) Running on : 02/01/23 11:08:59 Dilution : 400 Reagent : 101822.28 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E Pipette : DA-079; DA-108; DA-078	Weight: 0.2031g	Extraction date: 02/01/23 09:59:21	Extracted by: 3335,1665 Reviewed On : 02/01/23 22:26:46 Batch Date : 02/01/23 08:38:47
---	---------------------------	--	--

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA30131012-007

Harvest/Lot ID: 20230109-PGCHLM-H16

Batch# : 1000067138

Sampled : 01/31/23

Ordered : 01/31/23

Sample Size Received : 26 gram

Total Amount : 200 units

Completed : 02/03/23 Expires: 02/03/24

Sample Method : SOP.T.20.010

Page 2 of 5

<



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

Sample : DA30131012-007

Harvest/Lot ID: 20230109-PGCHLM-H16

Batch# : 1000067138

Sampled : 01/31/23

Ordered : 01/31/23

Sample Size Received : 26 gram

Total Amount : 200 units

Completed : 02/03/23 Expires: 02/03/24

Sample Method : SOP.T.20.010

Page 3 of 5

 Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440	Weight: 0.9618g	Extraction date: 02/01/23 14:56:17	Extracted by: 585		
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055486PES					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 02/01/23 14:56:34					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 012623.R35; 013023.R07; 013023.R08; 012423.R14; 012423.R21; 020123.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 1440	Weight: 0.9618g	Extraction date: 02/01/23 14:56:17	Extracted by: 585		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055488VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 013023.R08; 040521.11; 013023.R35; 013023.R36					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

Sample : DA30131012-007

Harvest/Lot ID: 20230109-PGCHLM-H16

Batch# : 1000067138

Sampled : 01/31/23

Ordered : 01/31/23

Sample Size Received : 26 gram

Total Amount : 200 units

Completed : 02/03/23 Expires: 02/03/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000	Analyzed by: 585, 53, 1440	Weight: 0.9618g	Extraction date: 02/01/23 14:56:17	Extracted by: 585		
Analyzed by: 3336, 3621, 53, 1440	Weight: 0.8327g	Extraction date: 02/01/23 10:52:36	Extracted by: 3390			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055487MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/01/23 14:56:43 Reviewed On : 02/02/23 15:06:02 Batch Date : 02/01/23 10:20:17					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055468MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/01/23 11:34:16 Dilution : N/A Reagent : 012423.R27; 020123.R48 Consumables : 500124 Pipette : N/A						Dilution : 250 Reagent : 012623.R35; 013023.R07; 013023.R08; 012423.R14; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 3336, 53, 1440 Weight: 1.2g Extraction date: 02/01/23 10:56:53 Extracted by: 3390,3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055475TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/01/23 14:56:25 Dilution : 10 Reagent : 110822.19; 013123.R21 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 1440	Weight: 0.4492g	Extraction date: 02/01/23 09:43:11	Extracted by: 3619			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055476HEA Instrument Used : DA-ICPMS-003 Running on : 02/01/23 13:26:03 Dilution : 50 Reagent : 012523.R01; 123022.R14; 012723.R21; 013023.R29; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35; 121922.R11 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA30131012-007

Harvest/Lot ID: 20230109-PGCHLM-H16

Batch# : 1000067138

Sampled : 01/31/23

Ordered : 01/31/23

Sample Size Received : 26 gram

Total Amount : 200 units

Completed : 02/03/23 **Expires:** 02/03/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
Analysis Method : SOP.T.40.090		Reviewed On : 02/01/23 11:46:40	
Analytical Batch : DA055500FIL		Batch Date : 02/01/23 11:13:58	
Instrument Used : Filth/Foreign Material Microscope			
Running on : 02/01/23 11:41:46			

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	11.82	PASS	15

Analyzed by: 2926, 1879, 1440	Weight: 0.499g	Extraction date: 02/01/23 11:27:56	Extracted by: 2926
Analysis Method : SOP.T.40.021		Reviewed On : 02/01/23 11:47:14	
Analytical Batch : DA055453MOI		Batch Date : 01/31/23 11:42:51	
Instrument Used : DA-003 Moisture Analyzer			
Running on : 01/31/23 12:16:30			

Dilution : N/A
Reagent : 101920.06; 100622.35
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.583	PASS	0.65

Analyzed by: 2926, 1879, 1440	Weight: 0.787g	Extraction date: 02/01/23 11:10:40	Extracted by: 2926
Analysis Method : SOP.T.40.019		Reviewed On : 02/01/23 11:53:37	
Analytical Batch : DA055489WAT		Batch Date : 02/01/23 10:38:38	
Instrument Used : DA-028 Rotronic HygroPalm			
Running on : 02/01/23 11:09:53			

Dilution : N/A
Reagent : 100522.08
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.