



Certificate of Analysis

COMPLIANCE FOR RETAIL


Sample: DA30202012-001
Harvest/Lot ID: 20230119-710X48-H
Batch#: 1000067551
Cultivation Facility: Homestead
Processing Facility : Homestead
Distributor Facility :
Source Facility : Homestead
Seed to Sale# LFG-00001195
Batch Date: 02/01/23
Sample Size Received: 16 gram
Total Amount: 364 units
Retail Product Size: 1 gram
Ordered : 02/02/23
Sampled : 02/02/23
Completed: 02/06/23
Sampling Method: SOP.T.20.010

Feb 06, 2023 | The Flowery


Samples From:
Homestead, FL, 33090, US

THE FLOWERY
PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filt PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analized by: 3112, 1665, 53, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA055616POT Instrument Used : DA-LC-003 Running on : 02/03/23 12:05:38 Dilution : 400 Reagent : 012523.R03; 121321.34; 011923.R05 Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078	Weight: 0.1005g	Extraction date: 02/03/23 12:00:48 Reviewed On : 02/04/23 19:34:23 Batch Date : 02/03/23 09:59:48	Extracted by: 3112
--	---------------------------	---	------------------------------

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30202012-001
 Harvest/Lot ID: 20230119-710X48-H

 Batch# : 1000067551
 Sampled : 02/02/23
 Ordered : 02/02/23

 Sample Size Received : 16 gram
 Total Amount : 364 units
 Completed : 02/06/23 Expires: 02/06/24
 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	70.37	7.037		ALPHA-HUMULENE	0.007	3.61	0.361	
TOTAL TERPINEOL	0.007	0.99	0.099		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.74	0.174		CIS-NEROLIDOL	0.007	ND	ND	
CAMPENE	0.007	0.47	0.047		TRANS-NEROLIDOL	0.007	0.72	0.072	
SABINENE	0.007	2.31	0.231		CARYOPHYLLENE OXIDE	0.007	0.7	0.07	
BETA-PINENE	0.007	1.99	0.199		GUAIOL	0.007	1.78	0.178	
BETA-MYRCENE	0.007	16.07	1.607		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-BISABOLOL	0.007	2.95	0.295	
3-CARENE	0.007	ND	ND		Analyzed by: 2076, 53, 1440 Weight: 0.9602g Extraction date: 02/03/23 15:03:37 Analytical Batch: DA055618TER Instrument Used: DA-GCMS-005 Running on: N/A Dilution: 10 Reagent: 121622.36 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	14.39	1.439						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND		Reviewed On : 02/06/23 16:57:50 Batch Date : 02/03/23 10:11:27				
GAMMA-TERPINENE	0.007	0.38	0.038						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	0.53	0.053						
FENCHONE	0.007	<0.2	<0.02						
LINALOOL	0.007	5.83	0.583						
FENCHYL ALCOHOL	0.007	1.69	0.169						
ISOPULEGOL	0.007	<0.2	<0.02						
CAMPOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	1.47	0.147						
HEXAHYDROTHYMOL	0.007	0.44	0.044						
NEROL	0.007	ND	ND						
PULEGONE	0.007	0.45	0.045						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	<0.2	<0.02						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	10.74	1.074						
FARNESENE	0	0.82	0.082						
Total (%)			7.037						



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30202012-001
 Harvest/Lot ID: 20230119-710X48-H

 Batch# : 1000067551
 Sampled : 02/02/23
 Ordered : 02/02/23
 Sample Size Received : 16 gram
 Total Amount : 364 units
 Completed : 02/06/23 Expires: 02/06/24
 Sample Method : SOP.T.20.010

Page 3 of 6

 Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 53, 1440 Weight: 0.2959g Extraction date: 02/03/23 14:14:58 Extracted by: 3379	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Reviewed On : 02/06/23 11:21:00	Batch Date : 02/03/23 09:38:41		
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 1440 Weight: 0.2959g Extraction date: 02/03/23 14:14:58 Extracted by: 3379	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055608PES Reviewed On : 02/06/23 11:21:00					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Batch Date : 02/03/23 09:38:41					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Running on : 02/03/23 14:09:53					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30202012-001
 Harvest/Lot ID: 20230119-710X48-H

 Batch# : 1000067551
 Sampled : 02/02/23
 Ordered : 02/02/23

 Sample Size Received : 16 gram
 Total Amount : 364 units
 Completed : 02/06/23 Expires: 02/06/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440, 53

 Weight:
 0.027g

 Extraction date:
 02/03/23 17:39:40

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA055652SOL
 Instrument Used : DA-GCMS-003
 Running on : 02/06/23 14:36:11

 Reviewed On : 02/06/23 15:06:41
 Batch Date : 02/03/23 17:08:37

 Dilution : 1
 Reagent : 030420.09
 Consumables : 27296; KF140
 Pipette : DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30202012-001
 Harvest/Lot ID: 20230119-710X48-H

 Batch# : 1000067551
 Sample Size Received : 16 gram
 Total Amount : 364 units
 Completed : 02/06/23 Expires: 02/06/24
 Ordered : 02/02/23
 Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 53, 1440 Weight: 1.0402g Extraction date: 02/03/23 10:55:13 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055597MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/03/23 11:14:47 Dilution : N/A Reagent : 012423.R27; 012623.R70 Consumables : 500124 Pipette : N/A						Analyzed by: 3379, 53, 1440 Weight: 0.2959g Extraction date: 02/03/23 14:14:58 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055609MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 02/03/23 14:10:45 Dilution : 250 Reagent : 020123.R29; 020123.R30; 012423.R21; 020123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1440 Weight: 0.4465g Extraction date: 02/03/23 10:47:29 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055606HEA Instrument Used : DA-ICPMS-003 Running on : 02/03/23 14:51:37 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 013023.R29; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA30202012-001

Harvest/Lot ID: 20230119-710X48-H

Batch# : 1000067551

Sampled : 02/02/23

Ordered : 02/02/23

Sample Size Received : 16 gram

Total Amount : 364 units

Completed : 02/06/23 Expires: 02/06/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA055656FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/04/23 16:13:39

Reviewed On : 02/04/23 16:24:33

Batch Date : 02/03/23 23:15:15

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.498	PASS	0.85

Analyzed by: 3807, 2926, 53, 1440	Weight: 0.508g	Extraction date: 02/03/23 13:31:28	Extracted by: 2926
--------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA055622WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/03/23 10:59:26

Reviewed On : 02/03/23 18:00:32

Batch Date : 02/03/23 10:43:49

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.