



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30128005-007
Harvest/Lot ID: 20230116-710SUSH16-F8H5
Batch#: 1000066305
Cultivation Facility: Homestead
Processing Facility : Homestead
Distributor Facility :
Source Facility : Homestead
Seed to Sale# LFG-00001177
Batch Date: 01/26/23
Sample Size Received: 17.5 gram
Total Amount: 255 units
Retail Product Size: 2.5 gram
Ordered : 01/27/23
Sampled : 01/27/23
Completed: 01/31/23
Sampling Method: SOP.T.20.010

Jan 31, 2023 | The Flowery

Samples From:
Homestead, FL, 33090, US


THE FLOWERY

PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3112, 53, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA055377POT Instrument Used : DA-LC-003 (Derivatives) Running on : 01/30/23 09:28:30 Dilution : 400 Reagent : 070621.18 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078	Weight: 0.1012g	Extraction date: 01/30/23 09:09:54	Extracted by: 1665,3112 Reviewed On : 01/31/23 14:59:13 Batch Date : 01/29/23 21:25:06
---	---------------------------	--	--

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

Sample : DA30128005-007

Harvest/Lot ID: 20230116-710SUSH16-F8H5

Batch# : 1000066305

Sampled : 01/27/23

Ordered : 01/27/23

Sample Size Received : 17.5 gram

Total Amount : 255 units

Completed : 01/31/23 Expires: 01/31/24

Sample Method : SOP.T.20.010

Page 2 of 6

<



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

Sample : DA30128005-007

Harvest/Lot ID: 20230116-710SUSH16-F8H5

Batch# : 1000066305

Sampled : 01/27/23

Ordered : 01/27/23

Sample Size Received : 17.5 gram

Total Amount : 255 units

Completed : 01/31/23 Expires: 01/31/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 53, 1440	0.267g	01/30/23 14:04:01	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055382PES			Reviewed On : 01/31/23 11:19:28		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 01/30/23 09:26:26		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 01/30/23 13:21:58					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 012323.R41; 012623.R35; 012623.R36; 012423.R14; 012423.R21; 012523.R05; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 53, 1440, 585	0.267g	01/30/23 14:04:01	585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA055384VOL			Reviewed On : 01/31/23 11:14:19		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 01/30/23 09:28:27		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 012623.R36; 040521.11; 011723.R20; 011723.R29					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

Sample : DA30128005-007

Harvest/Lot ID: 20230116-710SUSH16-F8H5

Batch# : 1000066305

Sampled : 01/27/23

Ordered : 01/27/23

Sample Size Received : 17.5 gram

Total Amount : 255 units

Completed : 01/31/23 Expires: 01/31/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 53, 1440, 585

 Weight:
 0.0263g

 Extraction date:
 01/31/23 11:08:17

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA055395SOL
 Instrument Used : DA-GCMS-002
 Running on : 01/31/23 11:15:22

 Reviewed On : 01/31/23 12:22:46
 Batch Date : 01/30/23 09:56:30

 Dilution : 1
 Reagent : 030420.09
 Consumables : 426108; KF140
 Pipette : DA-306 10uL Syringe 35031

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30128005-007
 Harvest/Lot ID: 20230116-710SUSH16-F8H5
 Batch# : 1000066305
 Sample Size Received : 17.5 gram
 Total Amount : 255 units
 Completed : 01/31/23 Expires: 01/31/24
 Ordered : 01/27/23
 Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3336, 585, 1440 Weight: 0.8522g Extraction date: 01/28/23 13:32:40 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055335MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 01/28/23 16:15:18 Dilution : N/A Reagent : 012623.R62; 010423.25; 111822.05 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 0.267g Extraction date: 01/30/23 14:04:01 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055383MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 01/30/23 13:22:08 Dilution : 250 Reagent : 012323.R41; 012623.R35; 012623.R36; 012423.R14; 012423.R21; 012523.R05; 040521.11 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 3390, 585, 1440 Weight: 0.8521g Extraction date: 01/28/23 13:40:39 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA055338TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 01/28/23 16:20:00 Dilution : 10 Reagent : 110822.21; 013123.R21 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 53, 1440, 585 Weight: 0.4625g Extraction date: 01/30/23 09:28:06 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055369HEA Instrument Used : DA-ICPMS-003 Running on : 01/30/23 14:31:03 Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 012723.R21; 012023.R05; 012723.R19; 012723.R20; 012323.R43; 011923.R10; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA30128005-007

Harvest/Lot ID: 20230116-710SUSH16-F8H5

Batch# : 1000066305

Sampled : 01/27/23

Ordered : 01/27/23

Sample Size Received : 17.5 gram

Total Amount : 255 units

Completed : 01/31/23 Expires: 01/31/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA055364FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 01/29/23 21:20:58

Reviewed On : 01/29/23 21:39:02

Batch Date : 01/29/23 10:43:13

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.486	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 0.76g	Extraction date: 01/30/23 07:50:28	Extracted by: 3807
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA055347WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : N/A

Reviewed On : 01/30/23 14:25:27

Batch Date : 01/28/23 13:49:52

Dilution : N/A

Reagent : 100522.08

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.