



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30218002-002
Harvest/Lot ID: 20230209-710X50-H
Batch#: 1000071758
Cultivation Facility: Homestead
Processing Facility : Homestead
Distributor Facility :
Source Facility : Homestead
Seed to Sale# LFG-00001262
Batch Date: 02/16/23
Sample Size Received: 17.5 gram
Total Amount: 171 units
Retail Product Size: 2.5 gram
Ordered : 02/17/23
Sampled : 02/17/23
Completed: 02/21/23
Sampling Method: SOP.T.20.010

Feb 21, 2023 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY


PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filth
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.


Cannabinoid
PASSED


Total THC

80.24%

Total THC/Container : 2006 mg



Total CBD

0.213%

Total CBD/Container : 5.325 mg



Total Cannabinoids

93.461%

Total Cannabinoids/Container : 2336.525 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.15	86.762	ND	0.244	0.079	ND	1.954	0.054	ND	ND	0.218
mg/unit	103.75	2169.05	ND	6.1	1.975	ND	48.85	1.35	ND	ND	5.45
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
1665, 585, 1440

Weight:
0.1009g

Extraction date:
02/20/23 13:44:48

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA056345POT
Instrument Used : DA-LC-003
Running on : 02/20/23 13:46:35

Reviewed On : 02/21/23 11:19:19
Batch Date : 02/19/23 01:30:37

Dilution : 400
Reagent : 022023.R05; 071222.01; 021623.R02
Consumables : 239146; 280670723; CE123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA30218002-002
Harvest/Lot ID: 20230209-710X50-H

Batch# : 1000071758
Sampled : 02/17/23
Ordered : 02/17/23

Sample Size Received : 17.5 gram
Total Amount : 171 units
Completed : 02/21/23 **Expires:** 02/21/24
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	161.675	6.467		FARNESENE	0	12.225	0.489	
TOTAL TERPINEOL	0.007	4.2	0.168		ALPHA-HUMULENE	0.007	13.875	0.555	
ALPHA-BISABOLOL	0.007	0.575	0.023		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	12.625	0.505		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	1.225	0.049		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	1.2	0.048	
BETA-PINENE	0.007	8.325	0.333		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.825	0.073		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 1440 Weight: 1.0005g Extraction date: 02/19/23 13:30:36 Extracted by: 1879, 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA056349TER Instrument Used : DA-GCMS-005 Running on : 02/20/23 09:57:08 Reviewed On : 02/21/23 11:19:18 Batch Date : 02/19/23 11:52:11				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	38.275	1.531						
EUCALYPTOL	0.007	<0.5	<0.02		Dilution : 10 Reagent : 120722.09 Consumables : 210414634; MKCN9995; CE0123; R1KB14270; 239146 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
OCIMENE	0.007	1.9	0.076						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	<0.5	<0.02						
TERPINOLENE	0.007	0.55	0.022						
FENCHONE	0.007	<0.5	<0.02						
LINALOOL	0.007	14.8	0.592						
FENCHYL ALCOHOL	0.007	ND	ND						
ISOPULEGOL	0.007	0.65	0.026						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	1.45	0.058						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	0.75	0.03						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	1.05	0.042						
BETA-CARYOPHYLLENE	0.007	46.175	1.847						
Total (%)			6.467						



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30218002-002
 Harvest/Lot ID: 20230209-710X50-H

 Batch# : 1000071758
 Sampled : 02/17/23
 Ordered : 02/17/23
 Sample Size Received : 17.5 gram
 Total Amount : 171 units
 Completed : 02/21/23 Expires: 02/21/24
 Sample Method : SOP.T.20.010

Page 3 of 6

 Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 53, 1440Weight: 0.2948gExtraction date: 02/20/23 13:49:17Extracted by: 585,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA056350PESReviewed On : 02/21/23 11:15:36 Instrument Used : DA-LCMS-003 (PES)Batch Date : 02/19/23 15:01:01 Running on : 02/20/23 15:44:48 Dilution : 250 Reagent : 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11; 022023.R01; 022023.R02 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30218002-002
 Harvest/Lot ID: 20230209-710X50-H

 Batch# : 1000071758
 Sampled : 02/17/23
 Ordered : 02/17/23

 Sample Size Received : 17.5 gram
 Total Amount : 171 units
 Completed : 02/21/23 Expires: 02/21/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440, 53

 Weight:
 0.0271g

 Extraction date:
 02/19/23 18:09:31

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA056367SOL
 Instrument Used : DA-GCMS-002
 Running on : 02/21/23 13:55:34

 Reviewed On : 02/21/23 15:20:24
 Batch Date : 02/19/23 16:26:12

 Dilution : 1
 Reagent : 030420.09
 Consumables : 27296; G201.062
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30218002-002
 Harvest/Lot ID: 20230209-710X50-H
 Batch# : 1000071758
 Sample Size Received : 17.5 gram
 Total Amount : 171 units
 Completed : 02/21/23 Expires: 02/21/24
 Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 585, 1440 Weight: 1.0763g Extraction date: 02/18/23 15:24:16 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056316MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/18/23 15:37:26 Dilution : N/A Reagent : 012423.R27; 021423.R36 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 3379, 53, 1440 Weight: 0.2948g Extraction date: 02/20/23 13:49:17 Extracted by: 585,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056351MYC Instrument Used : N/A Running on : 02/20/23 15:44:54 Dilution : 250 Reagent : 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11; 022023.R01; 022023.R02 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 1440 Weight: 0.4355g Extraction date: 02/20/23 12:10:17 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056364HEA Instrument Used : DA-ICPMS-003 Running on : 02/21/23 10:13:37 Dilution : 50 Reagent : 021723.R02; 123022.R14; 021723.R24; 021523.R47; 021723.R22; 021723.R23; 021423.R08; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA30218002-002

Harvest/Lot ID: 20230209-710X50-H

Batch# : 1000071758

Sampled : 02/17/23

Ordered : 02/17/23

Sample Size Received : 17.5 gram

Total Amount : 171 units

Completed : 02/21/23 **Expires:** 02/21/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA056400FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 02/20/23 21:35:18

Reviewed On : 02/20/23 21:56:13

Batch Date : 02/20/23 12:32:30

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.523	PASS	0.85

Analyzed by: 53, 1440	Weight: 0.528g	Extraction date: 02/21/23 16:14:02	Extracted by: 53
---------------------------------	--------------------------	--	----------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA056268WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 02/17/23 10:27:09

Reviewed On : 02/21/23 16:25:06

Batch Date : 02/17/23 09:48:47

Dilution : N/A

Reagent : 100522.07

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.