



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30216011-002
Harvest/Lot ID: 20221222-710FW106-F3H4
Batch#: 1000071706
Cultivation Facility: Homestead
Processing Facility : Homestead
Distributor Facility :
Source Facility : Homestead
Seed to Sale# LFG-00001259
Batch Date: 02/15/23
Sample Size Received: 16 gram
Total Amount: 315 units
Retail Product Size: 1 gram
Ordered : 02/16/23
Sampled : 02/16/23
Completed: 02/20/23
Sampling Method: SOP.T.20.010


Feb 20, 2023 | The Flowery

Samples From:
Homestead, FL, 33090, US


THE FLOWERY

PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtth PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------


Analyzed by:
3112, 1665, 53, 1440

Weight:
0.1024g

Extraction date:
02/17/23 10:42:07

Extracted by:
2076,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA056261POT
Instrument Used : DA-LC-003
Running on : 02/17/23 11:09:41

Reviewed On : 02/20/23 13:25:16
Batch Date : 02/17/23 08:44:42

Dilution : 400
Reagent : 012523.R02; 121321.34; 021623.R01
Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30216011-002
 Harvest/Lot ID: 20221222-710FW106-F3H4

 Batch# : 1000071706
 Sampled : 02/16/23
 Ordered : 02/16/23
 Sample Size Received : 16 gram
 Total Amount : 315 units
 Completed : 02/20/23 Expires: 02/20/24
 Sample Method : SOP.T.20.010

Page 2 of 6

</



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30216011-002
 Harvest/Lot ID: 20221222-710FW106-F3H4
 Batch# : 1000071706
 Sample Size Received : 16 gram
 Total Amount : 315 units
 Completed : 02/20/23 Expires: 02/20/24
 Ordered : 02/16/23
 Sample Method : SOP.T.20.010

Page 3 of 6

 Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 53, 1440 Weight: 0.2822g Extraction date: 02/17/23 12:33:32 Extracted by: 585					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056265PES Reviewed On : 02/20/23 17:03:11					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Batch Date : 02/17/23 09:25:35					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 02/17/23 12:51:36					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 021323.R01; 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 1440, 585 Weight: 0.2822g Extraction date: 02/17/23 12:33:32 Extracted by: 585					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA056267VOL Reviewed On : 02/20/23 12:34:45					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006 Batch Date : 02/17/23 09:27:18					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 021323.R01; 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30216011-002
 Harvest/Lot ID: 20221222-710FW106-F3H4

 Batch# : 1000071706
 Sampled : 02/16/23
 Ordered : 02/16/23

 Sample Size Received : 16 gram
 Total Amount : 315 units
 Completed : 02/20/23 Expires: 02/20/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 3379, 53, 1440, 585

 Weight:
 0.0270g

 Extraction date:
 02/17/23 15:14:25

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA056302SOL
 Instrument Used : DA-GCMS-003
 Running on : 02/20/23 10:34:35

 Reviewed On : 02/20/23 14:57:04
 Batch Date : 02/17/23 14:07:47

 Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: osivan@moozacapital.com

 Sample : DA30216011-002
 Harvest/Lot ID: 20221222-710FW106-F3H4
 Batch# : 1000071706
 Sample Size Received : 16 gram
 Total Amount : 315 units
 Completed : 02/20/23 Expires: 02/20/24
 Ordered : 02/16/23
 Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 53, 1440 Weight: 0.9456g Extraction date: 02/17/23 10:27:50 Extracted by: 3336,3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA056256MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 02/17/23 10:53:24 Dilution : N/A Reagent : 012423.R27; 020823.R57 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 53, 1440 Weight: 0.2822g Extraction date: 02/17/23 12:33:32 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA056266MYC Instrument Used : N/A Running on : 02/17/23 12:51:46 Dilution : 250 Reagent : 021323.R01; 021423.R04; 021623.R32; 012423.R21; 021523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3702, 53, 1440 Weight: 0.8891g Extraction date: 02/17/23 10:34:38 Extracted by: 3336,3621,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA056273TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 02/17/23 11:25:53 Dilution : 10 Reagent : 021623.10; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals					
						Metal	LOD	Units	Result	Pass / Fail	Action Level
						TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
						ARSENIC	0.02	ppm	ND	PASS	0.2
						CADMIUM	0.02	ppm	ND	PASS	0.2
						MERCURY	0.02	ppm	ND	PASS	0.2
						LEAD	0.05	ppm	ND	PASS	0.5
						Analyzed by: 1022, 53, 1440, 585 Weight: 0.4281g Extraction date: 02/17/23 10:02:03 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA056258HEA Instrument Used : DA-ICPMS-003 Running on : 02/17/23 14:42:24 Dilution : 50 Reagent : 012523.R01; 123022.R14; 021023.R29; 021523.R47; 021023.R27; 021023.R28; 021423.R08; 020723.R34; 020123.02 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA30216011-002
Harvest/Lot ID: 20221222-710FW106-F3H4
Batch# : 1000071706
Sample Size Received : 16 gram
Total Amount : 315 units
Completed : 02/20/23 **Expires:** 02/20/24
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090 Analytical Batch : DA056296FIL Instrument Used : Filth/Foreign Material Microscope Running on : 02/17/23 13:02:19	Reviewed On : 02/17/23 13:08:50 Batch Date : 02/17/23 12:34:27
---	---

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.507	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.621g	Extraction date: 02/17/23 11:23:39	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019 Analytical Batch : DA056268WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 02/17/23 10:27:09	Reviewed On : 02/20/23 16:01:12 Batch Date : 02/17/23 09:48:47
---	---

Dilution : N/A
Reagent : 100522.07
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.