

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

710 Orange Cream #27 + 710 Upside Down Frown #15 POD - Live Rosin Orange Cream #27 + Upside Down Frown #15 Matrix: Derivative

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30210010-002 Harvest/Lot ID: 20230109-710X45-H

Batch#: 1000069475

Cultivation Facility: Homestead Processing Facility: Homestead

Distributor Facility:

Source Facility: Homestead Seed to Sale# LFG-00001235

Batch Date: 02/09/23

Sample Size Received: 15.5 gram

Total Amount: 351 units Retail Product Size: 0.5 gram

> Ordered: 02/10/23 Sampled: 02/10/23

Completed: 02/14/23

Sampling Method: SOP.T.20.010

PASSED

#FLOWERY

Samples From: PRODUCT IMAGE

Homestead, FL, 33090, US

SAFETY RESULTS

Feb 14, 2023 | The Flowery









Heavy Metals PASSED



Mycotoxins



Residuals Solvents PASSED



Filth



Pages 1 of 6

Water Activity PASSED



Moisture NOT TESTED



MISC.

PASSED



Cannabinoid

Total THC





Microbials

D8-THC

1.304

0.002

6.52

Total CBD

Total CBD/Container: 1.265 mg



Total Cannabinoids

Total Cannabinoids/Container: 448.92



	D9-THC	7
%	70.276	
mg/unit	351.38	

Analyzed by: 3112, 585, 1440	
Analysis Method : SOP.T.40.031,	SOP.T.30.03
Analytical Batch: DA056002POT	

CBDA

0.108

0.54

0.002

%

CBG

5.617

28.085

0.002

3.294

16.47

0.002

Reviewed On: 02/14/23 11:58:02

%

0.069

0.345

0.002

THCV

0.442

2.21

0.002

0.002 %

СВС

1.397

6.985

0.002

%

CBDV

ND

ND

0.002

Instrument Used: DA-LC-003 (Derivatives)
Running on: 02/13/23 11:10:11

LOD

Dilution : 400 Reagent : 020723.R03; 121321.34; 020723.R01 Consumables : 239146; CE0123; 210803-059; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078

35.59

0.002

CBD

0.159

0.795

0.002

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







710 Orange Cream #27 + 710 Upside Down Frown #15 POD - Live Rosin Orange Cream #27 + Upside Down Frown #15

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From Homestead, FL, 33090, US Telephone: (321) 266-2467

DAVIE, FL, 33314, US

Sample : DA30210010-002 Harvest/Lot ID: 20230109-710X45-H

Sampled: 02/10/23 Ordered: 02/10/23

Sample Size Received: 15.5 gram Total Amount: 351 units Completed: 02/14/23 Expires: 02/14/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

3-CARENE 0.007 ND	
ALPHA-PINENE 0,007 0,78 0,156 CLS-HENDER 0,007 1,555 0,311 CLS-HENDIDOL 0,007 ND	
CIS-MEROLIDOL	
CAMPHENE 0.007 0.245 0.049 TRANS-NEROLIDOL 0.007 0.325 0.065 SABINENE 0.007 ND ND ND CARYOPHYLENE OXIDE 0.007 0.32 0.065 0.337 ND	
CARYOPHYLENE OXIDE 0.007 0.00 0.007 0.00 0.007 0.00 0.007 0.00 0.007 0.00 0.007 0.00 0.007 0.00 0.007 0.00 0.007	
BETA-PINENE 0.007 0.49 0.098	
CEDROL 0.007 ND ND ND ND ND ND ND N	
ALPHA-PHELLANDRENE 0.007 ND	
3-CARENE 0.007 ND ND ND 2018 2016 ALPHA-TREPINENE 0.007 0.195 0.039 ALPHA-TREPINENE 0.007 0.195 0.039 Analysis Method : SOP.T.3.0.061A.FL, SOP.T.40.061A.FL Reviewed On : 02/14/23 16:52:15 EUCALYPTOL 0.007 ND	
ALPHA-TERPINENE 0.007 0.195 0.039 Analysis Method : SOP.T.30.061A-FL, SOP.T.40.061A-FL Reviewed On : 02/14/23 16:52:15 InfoRMENE 0.007 8.185 1.637 Instrument User 17 Mex CMCS-6005 Batch Date : 02/13/23 9:20:13 Instrumen	acted by:
Analytical Batch: 1.0A056044TER Reviewed On: 02/14/23 16:52:15	i
Instrument Used : DA-COMS-005 Bakch Date : 02/13/23 09:20:13	
Running on: 20/13/23 15:41:59	
GAMMA-TREPINENE 0,007 ND	
Resignent: 12,0722.10 Resi	
Pipette : N/A	
Company Comp	
STRANTY CAPTACE CAPT	
FERCHYLALCOHOL 0.007 1.09 0.218 SOPULEGOL 0.007 ND ND SOPULEGOL 0.007 ND ND SOBORNEOL 0.007 ND ND SOBORNEOL 0.007 ND ND SOBORNEOL 0.007 ND ND WEXAMPHORE 0.007 ND ND SERANIAL CETATE 0.007 ND ND WEXAMPHORE 0	int corrected.
SOPULEGOL 0.007 ND ND ND ND ND ND ND N	
CAMPHOR 0.007 ND ND ND ND ND ND ND N	
SOBORNEOL 0.007 ND ND JORNEOL 0.013 0.28 0.056 LEKAHYDROTHYMOL 0.007 ND ND MEROL 0.007 ND ND PULEGONE 0.007 ND ND SERAHYL ACETATE 0.007 ND ND ILPHA-CEDRENE 0.007 <0.1 <0.02	
DRNEOL 0.013 0.28 0.056	
MEXAHYDROTHYMOL	
NEROL	
PULEGONE 0.007 ND ND ND SERANIOL 0.007 ND ND SERANYL ACETATE 0.007 ND	
GERANIOL 0.007 ND ND GERANYLACETATE 0.007 ND ND ALPHA-CEDRENE 0.007 <0.1	
GERANYL ACETATE 0.007 ND ND ALPHA-CEDRENE 0.007 <0.1	
ALPHA-CEDRENE 0.007 <0.1 <0.02	
SETA-CARYOPHYLLENE 0.007 4.435 0.887	

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/14/23



710 Orange Cream #27 + 710 Upside Down Frown #15 POD - Live Rosin Orange Cream #27 + Upside Down Frown #15

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From Homestead, FL, 33090, US Telephone: (321) 266-2467

DAVIE, FL, 33314, US

Sample : DA30210010-002 Harvest/Lot ID: 20230109-710X45-H

Sampled: 02/10/23 Ordered: 02/10/23

Sample Size Received: 15.5 gram Total Amount: 351 units Completed: 02/14/23 Expires: 02/14/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

		A	S	S	E	D	
--	--	---	---	---	---	---	--

0.01		Level						Level		Result
0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
0.01	ppm	0.5	PASS	ND	PIPERONYI BUTOXIDE	0.01	ppm	3	PASS	ND
							1.1.			ND
										ND
	FF									ND
							12.			
										ND
					SPIROMESIFEN		ppm			ND
					SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
					SPIROXAMINE	0.01	ppm	0.1	PASS	ND
					TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
					THIACLOPRID	0.01	ppm	0.1	PASS	ND
					THIAMETHOXAM	0.01	mag	0.5	PASS	ND
	P.P.						V' 1 / 1	0.1	PASS	ND
							1			ND
										ND
	1.6				7" ""					ND
					CHLORDANE *					ND
					CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
					CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
					CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
					Analyzed by: Weight:	Ext	raction da	te:	Extract	ed by:
					585, 3379, 53, 1440 0.2234q				585	J. 10 y .
					Analysis Method : SOP.T.30.101.FL (Gainesv	ille), SOP.1	г.30.102.FL	(Davie), SOP	.T.40.101.FL (Gainesvill
					SOP.T.40.102.FL (Davie)					
							Batch Da	te:02/13/23	09:06:44	
						R01 · 020	923 BUS- U	12423 B21· N	20823 R01 · 04	10521 11
					Consumables : 6697075-02		323.1102, 0	12425.1(21, 0	20025.1101, 0-	70521.11
	1.1.				Pipette: DA-093; DA-094; DA-219					
							Chromato	graphy Triple-	Quadrupole Ma	SS
					Analyzed by: Weight:					ed by:
	ppm									
	ppm				Running on : N/A	\ 5	acon bute	. 02/13/23 03.		
0.01	ppm	0.1	PASS	ND	Dilution: 250					
0.01	ppm	0.1	PASS	ND	Reagent: 020923.R01; 040521.11; 021023.l	R34; 02102	23.R35			
0.01	ppm	0.1		ND	Consumables : 6697075-02; 14725401					
0.01	ppm	0.1	PASS	ND						
	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 ppm	0.01 ppm 0.2 0.01 ppm 0.2 0.01 ppm 0.1	0.01 ppm 0.2 PASS 0.01 ppm 0.1	0.01 ppm 0.2 PASS ND 0.01 ppm 0.1 PASS ND 0.01 p	DOI DOI	DOI DOT DOT DOI DOI		Description Description	Description Description

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/14/23



710 Orange Cream #27 + 710 Upside Down Frown #15 POD - Live Rosin Orange Cream #27 + Upside Down Frown #15

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA30210010-002

Harvest/Lot ID: 20230109-710X45-H

Sampled: 02/10/23 Ordered: 02/10/23 Sample Size Received : 15.5 gram
Total Amount : 351 units
Completed : 02/14/23 Expires: 02/14/24

Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440, 53	Weight: 0.0248g	Extraction date: 02/14/23 11:32:21		//	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA056052SOL Instrument Used : DA-GCMS-003 Running on : 02/14/23 11:47:01

Dilution: 1
Reagent: 030420.09
Consumables: 27296; KF140
Pipette: DA-309 25uL Syringe 35028

 $\begin{array}{l} \textbf{Reviewed On: } 02/14/23 \ 12:43:04 \\ \textbf{Batch Date: } 02/13/23 \ 10:13:59 \\ \end{array}$

 $Residual\ solvents\ analysis\ is\ performed\ utilizing\ Gas\ Chromatography\ Mass\ Spectrometry\ in\ accordance\ with\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/14/23



710 Orange Cream #27 + 710 Upside Down Frown #15 POD - Live Rosin Orange Cream #27 + Upside Down Frown #15

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From Homestead, FL, 33090, US Telephone: (321) 266-2467

DAVIE, FL, 33314, US

Sample: DA30210010-002

Batch Date: 02/11/23 09:26:20

Extracted by:

Harvest/Lot ID: 20230109-710X45-H

Sampled: 02/10/23 Ordered: 02/10/23

Sample Size Received: 15.5 gram Total Amount: 351 units Completed: 02/14/23 Expires: 02/14/24

Sample Method: SOP.T.20.010

Ana

Page 5 of 6

Reviewed On: 02/14/23 11:52:01

Batch Date: 02/13/23 09:07:47



Microbial



Mycotovins

Action

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: Weigh 3336, 3621, 585, 1440 0.961		Extraction date: 02/11/23 15:58:13		Extracted by: 3621	

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA055982MIC Reviewed On : 02/14/23 11:56:31

Weight:

Instrument Used: DA-265 Gene-UP RTPCR

Running on : $02/11/23 \ 16:27:37$

Dilution: N/A * • 012423 P27 020823 P57

Analyzed by:

Consumables: 2112100	
Pipette : N/A	

3621, 3390, 53, 1440	1.0520g	02/11/23 16:00:55	3621,3702
Analysis Method : SOP.T.40.			
Analytical Batch: DA055994	TYM	Reviewed On :	02/14/23 07:25:35
Instrument Used: Incubator Running on: 02/11/23 16:57		97 Batch Date : 02	/11/23 15:58:24

Extraction date

Dilution: 10 Reagent: 110822.20; 013123.R21

Consumables: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

J.	MyCotoxiiis	ycotoxiiis					
alyte		LOD	Units	Result	Pass / Fail		
LATOXIN I	B2	0.002	ppm	ND	PASS		
LATOXIN I	B1	0.002	ppm	ND	PASS		

Analyte		202	Onics	itesuit	Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 53, 1440	Weight: 0.2234g	Extraction 02/13/23			Extracte 585	ed by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA056030MYC

Instrument Used: DA-LCMS-003 (MYC) Running on: 02/13/23 13:33:06

Dilution: 250

Reagent: 020623.R01; 020723.R08; 020923.R01; 020923.R02; 012423.R21; 020823.R01; 040521.11

Consumables : 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS		LS 0.11	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2	
CADMIUM		0.02	ppm	ND	PASS	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2	
LEAD		0.05	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction date	e:	Extracted by:			
1022, 53, 1440	0.4771g	02/13/23 12:4	2:51	10	22,3619		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA056009HEA Instrument Used : DA-ICPMS-003 Running on: 02/13/23 16:21:19

Reviewed On: 02/14/23 12:07:39 Batch Date: 02/12/23 10:54:34

Reagent: 012523.R01; 123022.R14; 021023.R29; 020723.R33; 021023.R27; 021023.R28;

012323.R43; 020723.R34; 100622.35 Consumables: 179436: 210508058: 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/14/23



710 Orange Cream #27 + 710 Upside Down Frown #15 POD - Live Rosin Orange Cream #27 + Upside Down Frown #15

Matrix : Derivative



Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA30210010-002

Harvest/Lot ID: 20230109-710X45-H

Reviewed On: 02/12/23 22:37:47

Batch Date: 02/12/23 22:23:02

Reviewed On: 02/14/23 11:58:42

Batch Date: 02/10/23 09:42:17

Sampled: 02/10/23 Ordered: 02/10/23 Sample Size Received: 15.5 gram Total Amount: 351 units Completed: 02/14/23 Expires: 02/14/24 Sample Method: SOP.T.20.010 **PASSED**

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte LOD Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS 1

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 1879, 1440
 NA
 N/A
 N/A

Analysis Method: SOP.T.40.090 Analytical Batch: DA056018FIL

Instrument Used : Filth/Foreign Material Microscope

Running on: 02/12/23 22:24:08

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.1	aw	0.385	PASS	0.85

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 2926, 585, 1440
 0.604g
 02/14/23 08:18:32
 2926

Analysis Method: SOP.T.40.019
Analytical Batch: DA055942WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 02/10/23 10:07:05

Dilution: N/A Reagent: 100522.07 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/14/23